

# Luceplan

# Price List

# 2025/26







## Price List

2025/26

## Index

Across	2	E04 Optics	51	Otto Watt	109
Alibel	4	E06	53	Pétale	110
Amisol	9	Ecran In&Out	55	Silenzio	112
Ascent	10	Farel	56	Soleil Noir	114
Berenice	11	Fienile Outdoor	57	Stochastic	115
Blow	13	Flia	59	Titania	116
Bulbullia	14	Fortebraccio	62	Titania Queen	117
Carrara	15	Garbi	64	Zile	118
Cassette	16	Hope	65	Binari / Track System	120
Compendium	18	Illan	67	Accessori / Accessories	128
Compendium Circle	22	J-us	69	Packaging	131
Compendium Plate	25	Koinè	72	Conditions Of Sale	131
Costanzina	26	Koinè Multiple Ceiling Rose	78		
Costanza	28	Levante	79		
Lady Costanza	32	Liu	81		
Grande Costanza	34	Lita	85		
Grande Costanza Open Air	35	Lola	88		
Counterbalance	37	Luthien	89		
Counterbalance Spot	38	Malamata	90		
Counterbalance Floor	39	Mesh	93		
Dix Bougies	40	Metropoli	100		
Doi	43	Metropoli Outdoor	101		
E04 Ceiling	47	Millimetro	102		
E04 Wall	48	Nui	105		
E04 Suspension	49	Nui Mini	108		

## Legend

<input type="checkbox"/>	Light source included
H	Height
L	Length
W	Width
∅	Diameter
	Fixture fit for direct assembly on normally inflammable surfaces.
<b>IP20</b>	Protected against ingress of solid objects greater than 12 mm.
<b>IP40</b>	Protected against ingress of solid objects greater than 1.0 mm.
<b>IP54</b>	Protected against ingress of dust and against splashes of water from all directions.
<b>IP65</b>	Dust-tight. Protected against water jets.
<b>IK</b>	Degree of protection against external mechanical impacts.
	Device that guarantees the electrical security by an additional protective wire (earth) connected to the metal structure of the lamp.
	Device in which the protection against electric shock is based not only on basic insulation, but also on additional security measures such as double insulation or strengthened insulation.
	Device in which the protection against electric shock is based on supply at a very low voltage and where no higher voltages are produced.
	The product FSC® certified as made in certified wood FSC® (Forest Stewardship Council®), from forests managed in a correct, responsible way. Look for our FSC certified products.
	Discontinued





## Important notice

The products in this price list are intended for the countries corresponding to the price list itself.





Any request for export outside the authorized countries must be agreed upon with Luceplan, as reported in the General Conditions of Sale, appendix to this price list.

# PRICE LIST






Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>dimnable ceiling rose push/DALI</b>					
	<b>A08/1D</b> ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz L 66 x W 52 x H 310	1A080/01D001	black		215,00
		1A080/01D002	white		215,00
  					




### dimnable ceiling rose phase cut

<b>dimnable ceiling rose phase cut</b>					
	<b>A08/1T</b> ceiling rose dimmable phase cut 220-240V ~ 50/60Hz L 66 x W 52 x H 310	1A080/01T001	black		205,00
		1A080/01T002	white		205,00
  					

### remote power supplies

<b>remote power supplies</b>					
	<b>A08/4</b> driver phase cut 24V, 75W 220-240V ~ 50/60Hz SELV L 180 x W 60 x H 35	1A080/040000			174,00
 					

### remote driver

<b>remote driver</b>					
	<b>D81/10</b> remote driver dimmable push/DALI 24V, 60W 220-240V ~ 50/60Hz SELV L 225 x W 43 x H 30.2	1D810/100000			181,00
 					

Only for indirect light optics

structure                      structure                      diffuser                      complete lamp

A13WBCU2/ A13BCU2      A13WBLU2/A13BLU2      A13/1

Calculate the price of the lamp by adding the body to the diffuser.

It is specified that the lamps indicated must only be installed using the track system described and illustrated in the final section of the price list.







Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

## 2700K versions

	<b>A13WB0DO</b> track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 120	1A13WB0DO001	matt black	LED 2W 2700K CRI 90	<input type="checkbox"/>	275,00
	<b>A13WB0DL</b> track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 120	1A13WB0DL001	matt black	LED 9W 2700K CRI 90	<input type="checkbox"/>	293,00
	<b>A13WBCDO</b> track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 813	1A13WBCDO001	matt black	LED 2W 2700K CRI 90	<input type="checkbox"/>	378,00




# A13 ALIBEL

Alessandro Zambelli




Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A13WBCDL</b> track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 813	1A13WBCDL001	matt black	LED 9W 2700K CRI 90	396,00
	<b>A13WBLO</b> track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A13WBLO001	matt black	LED 2W 2700K CRI 90	382,00
	<b>A13WBLL</b> track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A13WBLL001	matt black	LED 9W 2700K CRI 90	400,00
	<b>A13WBCU2</b> track structure indirect light 48Vdc, SELV L 190 x W 23 x H 813	1A13WBCU2001	matt black	LED 6W 2700K CRI 90	394,00
	<b>A13WBLU2</b> track structure indirect light 48Vdc, SELV L 190 x W 23 x H 1210	1A13WBLU2001	matt black	LED 6W 2700K CRI 90	398,00
	<b>A13WBCV5</b> track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1235	1A13WBCV5001	matt black	LED 6W 2700K CRI 90	589,00

# A13 ALIBEL

Alessandro Zambelli







Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A13WBLV5</b> track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1650	1A13WBLV5001	matt black	LED 6W 2700K CRI 90	601,00
	<b>A13WAD</b> wall-mounted structure dimmable push/DALI 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A13WAD0001	matt black	LED 10W 2700K CRI 90	425,00
	<b>A13WAT</b> wall-mounted structure dimmable phase cut 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A13WAT0001	matt black	LED 11W 2700K CRI 90	415,00

## 3000K versions

	<b>A13BODO</b> track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 120	1A130BODO001	matt black	LED 2W 3000K CRI 90	266,00
	<b>A13BODL</b> track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 120	1A130BODL001	matt black	LED 2W 3000K CRI 90	293,00
	<b>A13BCDO</b> track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 813	1A130BCDO001	matt black	LED 2W 3000K CRI 90	368,00




# A13 ALIBEL

Alessandro Zambelli


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A13BCDL</b> track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 813	1A130BCDL001	matt black	LED 9W 3000K CRI 90	<input type="checkbox"/> 396,00
	<b>A13BLDO</b> track structure diffuse direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A130BLDO001	matt black	LED 2W 3000K CRI 90	<input type="checkbox"/> 372,00
	<b>A13BLDL</b> track structure spot direct light 48Vdc, SELV L 150 x W 23 x H 1210	1A130BLDL001	matt black	LED 9W 3000K CRI 90	<input type="checkbox"/> 400,00
	<b>A13BCU2</b> track structure indirect light 48Vdc, SELV L 190 x W 23 x H 813	1A130BCU2001	matt black	LED 6W 3000K CRI 90	<input type="checkbox"/> 394,00
	<b>A13BLU2</b> track structure indirect light 48Vdc, SELV L 190 x W 23 x H 1210	1A130BLU2001	matt black	LED 6W 3000K CRI 90	<input type="checkbox"/> 398,00
	<b>A13BCV5</b> track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1235 Ø 500	1A130BCV5001	matt black	LED 6W 3000K CRI 90	<input type="checkbox"/> 589,00


# A13 ALIBEL

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A13BLV5</b> track structure indirect light with vertical diffuser 48Vdc, SELV L 335 x W 103 x H 1650 Ø 500	1A130BLV5001	matt black	LED 6W 3000K CRI 90	601,00
	<b>A13AD</b> wall-mounted structure dimmable push/DALI 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A130AD00001	matt black, shade: satin opal	LED 10W 3000K CRI 90	441,00
	<b>A13AT</b> wall-mounted structure dimmable phase cut 220-240V ~ 50/60Hz L 335 x W 146 x H 500	1A130AT00001	matt black, shade: satin opal	LED 11W 3000K CRI 90	415,00





## accessories

	<b>A13/1</b> accessory only for A13WBCU2, A13BCU2, A13WBLU2, A13BLU2 L 500 x W 9 x H 335	1A130/010002	opal white		168,00
---	---	--------------	------------	--	--------







Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------



## structure

	<b>D91S</b> suspension structure dimmable push/DALI 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø 180x40	1D910S000002	white	LED 53W 3000K CRI 90	<input type="checkbox"/>	666,00
  						

## reflector/diffuser disc







	<b>D91/1</b> reflector diffuser Ø 75cm 220-240V ~ 50/60Hz H min 2250 - max 3950 diffuser ø 750	1D910/100002	opale			603,00
		1D910/100020	argent			629,00
		1D910/100030	gold			629,00
						
	<b>D91/2</b> reflector diffuser Ø 110cm 220-240V ~ 50/60Hz H min 3000 - max 4200 diffuser ø 1080	1D910/200002	opale			735,00
		1D910/200020	argent			785,00
		1D910/200030	gold			785,00
						

## accessories

	<b>D91/OAAR</b> anti-rotation accessory L cable: 3000	1D91/OAAR000				63,00
						






# D78 ASCENT

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D78</b> table with base dimmer on board driver 24V 220-240V ~ 50/60Hz L 170 x W 170 x H 650 head 84  CE  	1D780=000001	black	LED 10W 2700K CRI 90 <input type="checkbox"/>	569,00
	<b>D78pt</b> table with fixing pin (tickness max 5,7) - dimmer on board driver 24V 220-240V ~ 50/60Hz H 650 head 84  CE  	1D780PT00001	black	LED 10W 2700K CRI 90 <input type="checkbox"/>	574,00



Calculate the price of the lamp adding the the body to the glass diffuser or metal reflector.



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D12N</b> table structure with base on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 450 + 450 base Ø 150	1D120=00N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm	414,00
		1D120=00N020	alu	*CRI 80	414,00
	<b>D12NPI</b> table structure with base on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 300 + 300 base Ø 135	1D120=P0N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm	394,00
		1D120=P0N020	alu	*CRI 80	394,00
	<b>D12NT</b> floor structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 800 + 300 base Ø 150	1D120T00N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm	450,00
		1D120T00N020	alu	*CRI 80	451,00
	<b>D12NA45</b> wall structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 450 + 450 x W 60x22x45 wall mount	1D120A45N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm	357,00
		1D120A45N020	alu	*CRI 80	360,00
	<b>D12NAPI</b> wall structure on/off switch - electronic ballast 12V 220-240V ~ 50/60Hz L arm 300 + 300 x W 60x22x45 wall mount	1D120AP0N001	black	LED 2W G4 3000K*; HSGST max 10W G4/ GY 6.35 12V; max 12.6 x 36 mm	347,00
		1D120AP0N020	alu	*CRI 80	349,00


# D12 BERENICE

Alberto Meda, Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

## reflectors

	<b>D12/4/1</b> glass reflector Ø 79  CE	1D120/4/1503	white		71,00
		1D120/4/1524	pink		71,00
		1D120/4/1527	yellow		71,00
		1D120/4/1537	sage green		71,00
	<b>D12/5/1</b> metal reflector Ø 79  CE	1D120/5/1501	black		47,00
		1D120/5/1520	alu		47,00
		1D120/5/1530	brass		47,00



body







methacrylate blades











complete lamp

Calculate the price of the lamp adding the body to the methacrylate blades. Using the remote control is strongly recommended, though it is not essential. It guarantees easy installation and simple use of the fixture.



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D28</b> ceiling body dimmable push remote controlled 220-240V ~ 50/60Hz H 400 Ø 240	1D2800000002	opal	LED bulb E27 dimmable max 21 W; fan power 55W max	551,00
	  				

## accessories

	<b>D28/1</b> blades set tot Ø 1400	1D280P000000	trasparent		100,00
	 	1D280P000088	mix (orange, green, blue)		100,00
	<b>D28/2</b> screenprinted blades set tot Ø 1400	1D280P200000	trasparent		110,00
	 				
	<b>D28r</b> infrared remote control	1D280R000000	white		76,00
					





# D95 BULBULLIA

Francisco Gomez Paz


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D95A3</b> wall/ceiling structure dimmable phase cut 220-240V ~ 50/60Hz L 310 x W 70 x H 370	1D950A300002	white	LED 17 W 2700K CRI 90	421,00
	<b>D95A5</b> wall/ceiling structure dimmable phase cut 220-240V ~ 50/60Hz L 370 x W 70 x H 620	1D950A500002	white	LED 27 W 2700K CRI 90	626,00

# D38 CARRARA

Alfredo Haberli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D38L</b> floor - foot dimmer 220-240V ~ 50/60Hz L 350 x W 225 x H 1850 base Ø 205	1D380DL00001	black	LED 45W 3000K CRI 80	1.687,00
		1D380DL00002	white		1.687,00
  					




## Power consumption: structure + power supply



A03W44	A03/1	23W
A03W44	A03/2	28W
A03W66	A03/1	41W
A03W66	A03/3	38W
A03H66	A03/1	59W
A03H66	A03/3	56W
A03W99	A03/1	58W
A03W99	A03/3	53W


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

### 2700K versions










	<b>A03W44</b> wall/ceiling L 400 x W 400 x H 85	1A030AW44002	matt white	LED 2700K CRI 90	<input type="checkbox"/>	484,00
	<b>A03W66</b> wall/ceiling L 600 x W 600 x H 85	1A030AW66002	matt white	LED 2700K CRI 90	<input type="checkbox"/>	681,00
	<b>A03W99</b> wall/ceiling L 900 x W 900 x H 85	1A030AW99002	matt white	LED 2700K CRI 90	<input type="checkbox"/>	1.050,00


# A03 CASSETTE

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.	
<b>3000K versions</b>						
	<b>A03H66</b> wall/ceiling high output version with prismatic diffuser L 600 x W 600 x H 85	1A030AH66002	matt white	LED 3000K CRI 90	<input type="checkbox"/>	869,00
CE  						

## power supplies

	<b>A03/1</b> power supply kit phase cut compatible with A03W44, A03W66, A03H66, A03W99 220-240V ~ 50/60Hz	1A030/010000				95,00
CE  						
	<b>A03/2</b> power supply kit dimmable push dim/DALI compatible with A03W44 220-240V ~ 50/60Hz	1A030/020000				145,00
CE  						
	<b>A03/3</b> power supply kit dimmable push dim/DALI compatible with A03W66, A03H66, A03W99 220-240V ~ 50/60Hz	1A030/030000				165,00
CE  						






Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

## 2700K versions




	<b>D81TW2</b> floor L 30 x W 46 x H 1610 CE	1D810TW20001	black	LED 37W 2700K CRI 90 <input type="checkbox"/>	636,00
		1D810TW20020	alu		636,00
		1D810TW20030	brass		636,00

## 3000K versions




	<b>D81T2</b> floor L 30 x W 46 x H 1610 CE	1D810T020001	black	LED 37W 3000K CRI 90 <input type="checkbox"/>	636,00
		1D810T020020	alu		636,00
		1D810T020030	brass		636,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D81/26D</b> base - foot dimmer 220-240V ~ 50/60Hz H 170 ø 145	1D810/26D001	black		314,00
	CE  				




## suspension structure 2700K version

	<b>D81BW2</b> suspension max 1Adc, 47Vdc L 1570 x W 30 x H 46 L cable: min 150 - max 3000	1D810BW20001	black		623,00
		1D810BW20020	alu	LED 33W 2700K CRI 90 <input type="checkbox"/>	623,00
		1D810BW20030	brass		623,00
	CE  				




## suspension structure 3000K version












	<b>D81B2</b> suspension max 1Adc, 47Vdc L 1570 x W 30 x H 46 L cable: min 150 - max 3000	1D810B020001	black		623,00
		1D810B020020	alu	LED 33W 3000K CRI 90 <input type="checkbox"/>	623,00
		1D810B020030	brass		623,00
	CE  				

## suspension structure 2700K UGR version

	<b>D81UW2</b> suspension UGR<19 max 1Adc, 47Vdc, SELV L 1550 x W 30 x H 46 L cable: min 150 - max 3000	1D810UW20001	black	LED 28W 2700K CRI 90 <input type="checkbox"/>	623,00
	CE  				


## suspension structure 3000K UGR version


	<b>D81U2</b> suspension UGR<19 max 1Adc, 47Vdc, SELV L 1550 x W 30 x H 46 L cable: min 150 - max 3000	1D810U020001	black	LED 28W 3000K CRI 90 <input type="checkbox"/>	623,00
	CE  				

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>ceiling rose</b>					
	<b>D81/25D</b> ceiling rose - dimmable push/DALI L 180 x W 130 x H 40	1D810/25D000	white		268,00
	CE  				
	<b>D81/25T</b> ceiling rose - dimmable phase cut L 180 x W 130 x H 40	1D810/25T000	white		164,00
	CE  				
<b>remote driver</b>					
	<b>D81/21</b> remote driver dimmable push/DALI L 180 x W 80 x H 30	1D810/210000			64,00
	CE 				
	<b>D81/22</b> remote driver dimmable phase cut L 130 x W 68 x H 31	1D810/220000			45,00
	CE 				
<b>accessories</b>					
	<b>D81/2</b> accessory kit for mechanical joining 180° L 8	1D810/200001	black		27,00
	CE				
	<b>D81/3</b> accessory kit for mechanical joining 90° L 4	1D810/300001	black		61,00
	CE				

# D81 COMPENDIUM

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D81/27</b> 2 extra cable kit 10 m 2 electric + metal cable  CE	1D810/270000			205,00



























Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------





## 2700K versions

	<b>D81C07W</b> suspension 24Vdc, SELV H 45 ø 720 L cable: min 150 - max 5000 CE    ⚡    ⚠	1D810C07W001	black	54W 2700K CRI 90	<input type="checkbox"/>	1.601,00
		1D810C07W020	alu			1.601,00
		1D810C07W030	brass			1.601,00
	<b>D81C11W</b> suspension 24Vdc, SELV H 45 ø 1100 L cable: min 150 - max 5000 CE    ⚡    ⚠	1D810C11W001	black	72W 2700K CRI 90	<input type="checkbox"/>	1.842,00
		1D810C11W020	alu			1.842,00
		1D810C11W030	brass			1.842,00
	<b>D81C20W</b> suspension 24Vdc, SELV H 45 ø 2000 L cable: min 150 - max 5000 CE    ⚡    ⚠	1D810C20W001	black	125W 2700K CRI 90	<input type="checkbox"/>	3.050,00
		1D810C20W020	alu			3.050,00
		1D810C20W030	brass			3.050,00

# D81C COMPENDIUM circle















Daniel Rybakken


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.	
<b>3000K versions</b>						
	<b>D81C07</b> suspension 24Vdc, SELV H 45 ø 720 L cable: min 150 - max 5000	1D810C070001	black	54W 3000K CRI 90	<input type="checkbox"/>	1.593,00
		1D810C070020	alu			1.593,00
		1D810C070030	brass			1.593,00
  						
	<b>D81C11</b> suspension 24Vdc, SELV H 45 ø 1100 L cable: min 150 - max 5000	1D810C110001	black	72W 3000K CRI 90	<input type="checkbox"/>	1.778,00
		1D810C110020	alu			1.778,00
		1D810C110030	brass			1.778,00
  						
	<b>D81C20</b> suspension 24Vdc, SELV H 45 ø 2000 L cable: min 150 - max 5000	1D810C200001	black	125W 3000K CRI 90	<input type="checkbox"/>	2.879,00
		1D810C200020	alu			2.879,00
		1D810C200030	brass			2.879,00
  						
<b>ceiling rose</b>						
	<b>D81/4</b> ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 50 ø 240	1D810/400000				406,00
  						
	<b>D81/5</b> ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 55 ø 330	1D810/500000				458,00
  						
	<b>D81/6</b> ceiling rose - dimmable push/DALI 220-240V ~ 50/60Hz H 55 ø 330	1D810/600000				537,00
  						

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
remote driver					
	<b>D81/10</b> remote driver dimmable push/DALI 24V, 60W, SELV 220-240V ~ 50/60Hz L 225 x W 43 x H 30.2	1D810/100000			181,00
	<b>D81/11</b> remote driver dimmable push/DALI 24V, 100W, SELV 220-240V ~ 50/60Hz L 295 x W 43 x H 30.2	1D810/110000			212,00
	<b>D81/12</b> remote driver dimmable push/DALI 24V, 150W, SELV 220-240V ~ 50/60Hz L 325 x W 43 x H 30.2	1D810/120000			270,00
	<b>D81/8</b> optional remote drivers cover for multiple configurations (up to 3) H 60 ø 400	1D810/800002			203,00

# D81P COMPENDIUM plate

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>2700K versions</b>					
	<b>D81P2W</b> wall/ceiling I: max 1400 mA dc V : 28Vdc H 58, H 88 (with ceiling rose) ø 560 CE   IP40	1D810P2W0001	black	39W 2700K CRI 90 <input type="checkbox"/>	814,00
		1D810P2W0020	alu		814,00
		1D810P2W0030	brass		814,00
<b>3000K versions</b>					
	<b>D81P2</b> wall/ceiling I: max 1400 mA dc V : 28Vdc H 58, H 88 (with ceiling rose) ø 560 CE   IP40	1D810P200001	black	39W 3000K CRI 90 <input type="checkbox"/>	814,00
		1D810P200020	alu		814,00
		1D810P200030	brass		814,00
<b>ceiling rose</b>					
	<b>D81/28D</b> ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz H 30 ø 300 CE  	1D810/28D000	white		262,00
	<b>D81/28T</b> ceiling rose dimmable phase cut 220-240V ~ 50/60Hz H 30 ø 300 CE  	1D810/28T000	white		243,00
<b>remote driver</b>					
	<b>D81/29</b> remote driver dimmable push/DALI 220-240V ~ 50/60Hz SELV CE	1D810/290000			95,00
	<b>D81/31</b> remote driver dimmable phase cut 220-240V ~ 50/60Hz SELV CE	1D810/310000			110,00



body
















shade




complete lamp

Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).  
LED Bulbs included in the complete version LED.


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D13pic.LED</b> complete version table on/off switch 220-240V ~ 50/60Hz W base 140 x 140 x H 510 shade ø 260	1D13=NPLC020	alu body white shade	LED 5W E14	277,00
	CE  			<input type="checkbox"/>	
	<b>D13pi</b> table on/off switch 220-240V ~ 50/60Hz W base 140 x 140 x H 510	1D13=NP00017	black	LED E14 42W HSGSA E14	210,00
		1D13=NP00020	alu		210,00
		1D13=NP00030	brass		305,00
	<b>D13pipt</b> table with fixing pin (thickness max 57) on/off switch 220-240V ~ 50/60Hz H 510	1D13PNP00020	alu	LED E14 42W HSGSA E14	189,00
	CE  				
	<b>D13api</b> wall on/off switch 220-240V ~ 50/60Hz L 280 x H 540	1D13ANP00017	black	LED E14 42W HSGSA E14	207,00
		1D13ANP00020	alu		207,00
	CE  				
	<b>D13spi</b> suspension up and down - on/off switch 220-240V ~ 50/60Hz H min 1000 max 2500 ceiling rose: ø 120 H 30	1D13SNP00002	white counterweight	LED E14 42W HSGSA E14	199,00
	CE  				

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------


## shade

	<b>D13/31</b> shade packing: 1 item H 170 ø 260  CE	9D1331437702	white		51,00
---	---	--------------	-------	--	-------


## shades for Mezzo Tono collection


	<b>D13/31</b> shade packing: 1 item H 170 ø 260  CE	9D1331437724	ed.pnk		60,00
		9D1331437734	m.whit		60,00
		9D1331437737	c.gree		60,00
		9D1331437738	sf.skn		60,00
		9D1331437739	sh.stn		60,00

## shades for Radiuse collection

	<b>D13/31</b> shade packing: 1 item H 170 ø 260  CE	9D1331437701	black		69,00
		9D1331437705	con.gr		69,00
		9D1331437706	sm.yel		60,00
		9D1331437708	pr.red		60,00
		9D1331437736	pet.bl		60,00

## accessories

	<b>D13/25</b> off-center ceiling rose H 30 ø 120	9D1325476800	white		51,00
---	---	--------------	-------	--	-------

	<b>D13/50</b> wall mount ceiling rose for D13 a.pi	9D1350620701	black		70,00
		9D1350620720	alu		70,00



structure
























shade





 diffuser accessory  
(optional)


complete version

Calculate the price of the lamp adding the cost of the body to the shade (versions not complete).  
We recommend the use of accessory for a better diffusion of light with halogen bulbs and white shade.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D13c</b> complete version table telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 760 - max 1100 shade ø 400  CE  	1D13N=00C020A	alu body white shade	LED E27 dimmable HSGA max 105W E27	500,00
	<b>D13</b> table telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 760 - max 1100  CE  	1D13N=000017  1D13N=000020  1D13N=000030	black  alu  brass	LED E27 dimmable HSGA max 105W E27	376,00  376,00  503,00
	<b>D13i</b> table telescopic on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 800  CE  	1D13N=010020	alu	LED E27 HSGA max 105W E27	311,00
	<b>D13if</b> table fixed on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 800  CE  	1D13N=01F020	alu	LED E27 HSGA max 105W E27	291,00
	<b>D13pt</b> table telescopic with fixing pin sensor dimmer on board 220-240V ~ 50/60Hz H min 760 - max 1100  CE  	1D13NPT00020	alu	LED E27 dimmable HSGA max 105W E27	322,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D13pti</b> table telescopic with fixing pin on/off switch 220-240V ~ 50/60Hz H min 760 - max 1100	1D13NPT10020	alu	LED E27 HSGA max 105W E27	262,00
	<b>D13tc</b> complete version floor telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600 shade ø 400	1D13NT00C020A	alu body white shade	LED E27 dimmable HSGA max 105W E27	548,00
	<b>D13t</b> floor telescopic sensor dimmer on board 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600	1D13NT000017	black	LED E27 dimmable HSGA max 105W E27	415,00
		1D13NT000020	alu		415,00
		1D13NT000030	brass		548,00
	<b>D13ti</b> floor telescopic on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H min 1200 - max 1600	1D13NT010020	alu	LED E27 HSGA max 105W E27	357,00
	<b>D13tif</b> floor fixed on/off switch 220-240V ~ 50/60Hz W base 180 x 180 x H 1530	1D13NT01F020	alu	LED E27 HSGA max 105W E27	337,00
	<b>D13a</b> wall telescopic sensor dimmer on board 220-240V ~ 50/60Hz W min 440 - max 570 x H min 760 - max 1100	1D13NA000020	alu	LED E27 HSGA max 105W E27	327,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D13aif</b> wall fixed on/off switch 220-240V ~ 50/60Hz W 460 x H 800	1D13NA01F020	alu	LED E27 HSGA max 105W E27	254,00
	<b>D13s</b> suspension telescopic 220-240V ~ 50/60Hz H min 1000 - max 1500 ceiling rose: ø 70 H 40	1D13NS000020	alu	LED E27 HSGA max 105W E27	272,00
	<b>D13sas</b> suspension up and down 220-240V ~ 50/60Hz H min 1000 - max 1500 ceiling rose: ø 120 H 30	1D13NSA20020	counterweight steel matt chrome	LED E27 HSGA max 105W E27	203,00


## shade

	<b>D13/1</b> shade packing 1 item H 280 ø 400	9D1301511702	white		84,00
---	---	--------------	-------	--	-------

## shades for Mezzo Tono collection


	<b>D13/1</b> shade packing 1 item H 280 ø 400	9D1301511724	edgy pink		127,00
		9D1301511734	mistic white		127,00
		9D1301511737	comfort green		127,00
		9D1301511738	soft skin		127,00
		9D1301511739	shaded stone		127,00


## shades for Radieuse collection

	<b>D13/1</b> shade packing 1 item H 280 ø 400	9D1301511701	black		152,00
		9D1301511705	concrete grey		152,00
		9D1301511706	smart yellow		127,00
		9D1301511708	primay red		127,00
		9D1301511736	petroleum blue		127,00


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------


## accessories






	<p><b>D13/25</b> off-center ceiling rose H 30 ø 120</p> <p>CE</p>	<p>9D1325476800</p>	<p>white</p>		<p>51,00</p>
---	---	---------------------	--------------	--	--------------

	<p><b>D13/50</b> wall mount accessory for D13a - D13aif</p> <p>CE</p>	<p>9D1350620701</p> <p>9D1350620720</p>	<p>black</p> <p>alu</p>		<p>70,00</p> <p>70,00</p>
---	---	---	-------------------------	--	---------------------------

## shades and accessories



	<p><b>D13/91</b> diffuser accessory bulb not included packing: 4 items the price refers to the single article H 182 ø 121</p> <p>CE</p>	<p>1D13N/910000</p>			<p>26,00</p>
--	---	---------------------	--	--	--------------



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D13E d.</b> floor telescopic dimmer on board 220-240V ~ 50/60Hz L 203 x W base 360x360 x H 217 - 250 CE □ ▼	1D13GED00017	black	LED E27 dimmable HSGSA 105W E27	1.258,00
		1D13GED00020	alu		1.252,00
	<b>D13Ea d.</b> wall telescopic dimmer on board 220-240V ~ 50/60Hz L 191 x H 215 - 248 CE □ ▼	1D13GEDA0020	alu	LED E27 dimmable HSGSA 105W E27	1.048,00
	<b>D13E sas</b> suspension up and down 220-240V ~ 50/60Hz H 100 ø 500 L cable: 3000 ceiling rose: Ø120 x 30 CE □ ▼	1D13GESA0020	alu	LED E27 dimmable HSGSA 105W E27	227,00
	<b>D13E/1</b> shade H 350 ø 500 CE	1D13GE/01001	black		317,00
		1D13GE/01002	white		194,00
		1D13GE/01013	red		292,00
		1D13GE/01039	shaded stone		227,00
	<b>D13/25</b> off-center ceiling rose H 30 ø 120 CE	9D1325476800	white		51,00





# D13E LADY COSTANZA



Paolo Rizzato

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<p><b>D13/91</b> diffuser accessory bulb not included packing: 4 items the price refers to the single article H 182 ø 121</p> <p>CE </p>	<p>1D13N/910000</p>			<p>26,00</p>




# D13G GRANDE COSTANZA

Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D13Gt</b> floor telescopic sensor dimmer 220-240V ~ 50/60Hz W base 360x360 x H min 1750 - max 2350 shade ø 700	1D13GTDH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27	1.401,00
	<b>D13Gti</b> floor telescopic on/off switch 220-240V ~ 50/60Hz W base 360x360 x H min 1750 - max 2350 shade ø 700	1D13GTIH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27	1.388,00
	<b>D13Gs</b> suspension sensor dimmer 220-240V ~ 50/60Hz H min 1000 - max 4750 shade ø 700 ceiling rose: ø 120 H 30	1D13GSDH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27	766,00
	<b>D13Gsi</b> suspension on/off switch 220-240V ~ 50/60Hz H min 1000 - max 4750 shade ø 700 ceiling rose: ø 120 H 30	1D13GSIH0020	alu structure, white shade	3xLED E27 3x70W HSGSA E27	721,00






Calculate the price of the lamp adding the cost of the body to the shade, and to the accessories, such as base, rod stake or fixed base. Apparatus IP44 with optical compartment with a degree of protection IP55.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D13G.air</b> floor outdoor on/off switch 220-240V ~ 50/60Hz H 2210 ø 21	1D13GT/00013	rust	LED E27 205W HSGST E27	960,00
		1D13GT/00020	alu		960,00
	<b>D13GSO</b> suspension structure on/off switch 220-240V ~ 50/60Hz H max 5000 ø 106 H 237	1D13GSOUT020	alu	LED E27 max 15W	750,00
	<b>D13G/1</b> shade for floor and suspension version H 350 ø 500	1D13GP/01002	white		307,00
		1D13GP/01011	green		418,00
		1D13GP/01013	rust		418,00




# D130 GRANDE COSTANZA OPEN AIR

Paolo Rizzato

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D13G.air/2</b> base L 530 x W 125 x H 530  CE	1D13GT/02013	rust		429,00
		1D13GT/02020	alu		429,00
	<b>D13G.air/3</b> stake for inserting into the soil L stem 21 x H 507 base ø 500  CE	1D13GT/03020	alu		132,00
	<b>D13G.air/4</b> fixed base for dowels L 125 x H 13  CE	1D13GT/04013	rust		132,00
		1D13GT/04020	alu		132,00
	<b>D13E/2</b> shade only for suspension structure H 350 ø 500  CE	1D13GE/02002	white		188,00




# D73 COUNTERBALANCE

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D73N</b> wall step dimmer (0%, 50%, 100%) 100-240V ~ 50/60Hz L 85 x W min 710 - max 1990 x H min 240 - max 2220	1D73N0000001	black	LED 16W 2700K CRI 90	946,00
		1D73N0000007	red		<input type="checkbox"/>
CE  					

# D73 COUNTERBALANCE SPOT

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<p><b>D73NA1</b>            wall/ceiling dimmable trailing edge            220-240V ~ 50/60Hz            L 280            ceiling rose ø 120, head ø 85</p> <p>CE        </p>	<p>1D73NA100001</p>	<p>black</p>	<p>LED 12W            2700K            CRI 90</p> <p><input type="checkbox"/></p>	<p>463,00</p>





Light source included


# D73 COUNTERBALANCE FLOOR

Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

Add the cost of the body (D73NT) to the base (D73/1)

	<p><b>D73NT</b> floor step dimmer (0%, 50%, 100%) 100-240V ~ 50/60Hz H 1560</p> <p>CE  </p>	<p>1D73NT000001</p>	<p>black</p>	<p>LED 16W 2700K CRI 90</p> <p><input type="checkbox"/></p>	<p>534,00</p>
	<p><b>D73/1</b> base H 240 ø 145</p> <p>CE</p>	<p>1D730/100001</p>	<p>black</p>		<p>239,00</p>




struttura  
A14S10W




push/DALI ceiling rose  
A14/3D




diffusori  
A14/2




lampada completa




structure  
A14S10W




phase cut ceiling rose  
A14/3T



diffuser  
A14/2



complete lamp




structure  
A14S06W




push/DALI ceiling rose  
A14/5D



diffuser  
A14/1



complete lamp




structure  
A14S06W



phase cut ceiling rose  
A14/5T



diffuser  
A14/1



complete lamp

A14S10W  
A14S10W  
A14S06W  
A14S06W


















A14/3D  
A14/3T  
A14/5D  
A14/5T

75W  
80W  
45W  
47W

Calculate the price of the lamp adding the ceiling rose to the diffuser.

















# A14 DIX BOUGIES


Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>structure</b>					
	<b>A14S10W</b> suspension I: max 2A, V: 37 Vdc, SELV L 1930 x W 747 x H 35 L cable: 5000	1A140S10W001	black	LED 67W 2700K CRI 90 <input type="checkbox"/>	1141,00
  					
<b>dimnable ceiling rose push/DALI</b>					
	<b>A14/3D</b> dimnable ceiling rose push/DALI for A14S10W 220-240V ~ 50/60Hz L 550 x W 43 x H 30	1A140/03D001	black		216,00
  					
<b>dimnable ceiling rose phase cut</b>					
	<b>A14/3T</b> dimnable ceiling rose phase cut for A14S10W 220-240V ~ 50/60Hz L 310 x W 51 x H 84	1A140/03T001	black		270,00
  					
<b>remote driver</b>					
	<b>A14/4</b> remote driver push/DALI dimmerabile 2000 mA, 100W SELV L 235 x W 100 x H 31	1A140/040000			97,00
 					
<b>diffusers</b>					
	<b>A14/2</b> 10 diffusers for A14S10W H 150 Ø 23	1A140/020002	white		342,00
					

# A14 DIX BOUGIES

Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>structure PETITE</b>					
	<b>A14S06W</b> suspension I: max 1,2A, V: 37 Vdc, SELV L 1100 x W 447 L cable: 5000	1A140S06W001	black	LED 40W 2700K CRI 90 <input type="checkbox"/>	501,00
  					
<b>dimnable ceiling rose push/DALI</b>					
	<b>A14/5D</b> dimmable ceiling rose push/DALI for A14S06W 220-240V ~ 50/60Hz L 550 x W 43 x H 30	1A140/05D001	black		239,00
  					
<b>dimmable ceiling rose phase cut</b>					
	<b>A14/5T</b> dimmable ceiling rose phase cut for A14S06W 220-240V ~ 50/60Hz L 270 x W 74 x H 34	1A140/05T001	black		227,00
  					
<b>remote driver</b>					
	<b>A14/6</b> remote driver push/DALI dimmerabile 1200 mA, 100W SELV L 235 x W 100 x H 31	1A140/060000			97,00
					
<b>diffusers</b>					
	<b>A14/1</b> 6 diffusers for A14S06W H 150 Ø 23	1A140/010002	white		225,00
					





















Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------









complete wall version 2700K. Ceiling rose finish / optic finish

	<b>A05ADW</b> wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz L 87 x W 106 x H 180 Ø 25 ceiling rose: Ø 60 CE □ ▽	1A050ADW0001	black/black	LED 7W 2700K CRI 90	<input type="checkbox"/>	389,00
		1A050ADW0002	white/ribbed white			389,00
		1A050ADW0030	black/brass			389,00
		1A050ADW0035	white/black			389,00
		1A050ADW0098	black/ribbed white			389,00

complete wall version 3000K. Ceiling rose finish / optic finish


	<b>A05AD</b> wall/ceiling dimmable phase cut 220-240V ~ 50/60Hz L 87 x W 106 x H 180 Ø 25 ceiling rose: Ø 60 CE □ ▽	1A050AD00001	black/black	LED 7W 3000K CRI 90	<input type="checkbox"/>	389,00
		1A050AD00002	white/ribbed white			389,00
		1A050AD00030	black/brass			389,00
		1A050AD00035	white/black			389,00
		1A050AD00098	black/ribbed white			389,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>bodies suspension version 2700K</b>					
	<b>A05S1W</b> suspension body I: max 550 mA, V: 9 Vdc H 300 Ø 25 L cable: 3000 CE  	1A050S1W0001	black	LED 5W 2700K CRI 90 <input type="checkbox"/>	230,00
		1A050S1W0030	brass		264,00
	<b>A05S2W</b> suspension ribbed body I: max 550 mA, V: 9 Vdc H 300 Ø 25 L cable: 3000 CE  	1A050S2W0002	white	LED 5W 2700K CRI 90 <input type="checkbox"/>	230,00
<b>bodies suspension version 3000K</b>					
	<b>A05S1</b> suspension body I: max 550 mA, V: 9 Vdc H 300 Ø 25 L cable: 3000 CE  	1A050S100001	black	LED 5W 3000K CRI 90 <input type="checkbox"/>	230,00
		1A050S100030	brass		264,00
	<b>A05S2</b> suspension ribbed body I: max 550 mA, V: 9 Vdc H 300 Ø 25 L cable: 3000 CE  	1A050S200002	white	LED 5W 3000K CRI 90 <input type="checkbox"/>	230,00
<b>ceiling rose</b>					
	<b>A05/1T</b> ceiling rose dimmable phase cut 220-240V ~ 50/60Hz H 65 Ø 110 CE  	1A050/01T001	black		111,00
	<b>A05/1D</b> ceiling rose dimmable DALI 220-240V ~ 50/60Hz H 65 Ø 110 CE  	1A050/01D001	black		135,00


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>counterweight</b>					
	<b>A05/2</b> counterweight W 15 Ø 105 L cable: 3000	1A050/020001	black		116,00
	CE 				
<b>accessory counterweight</b>					
	<b>A05/3</b> counterweight accessory for B configuration	1A050/030000	metal		41,00
	CE				
<b>cover plate</b>					
	<b>A05/6</b> cover plate accessory only for wall/ ceiling structure L 270 x W 20 x H 140 Ø 95	1A050/060001	black		44,00
		1A050/060002	white		44,00
	CE				
<b>track adapter</b>					
	<b>A05/7</b> track adapter dimmable DALI 48V dc, SELV L 70 x W 11 x H 160	1A050/070001	black		90,00
		1A050/070002	white		90,00
	CE  				
<b>remote driver</b>					
	<b>A07/4</b> remote driver dimmable push/DALI 500 mA, 42W, SELV 220-240V 50/60Hz L 98 x W 43 x H 22	1A070/040000			53,00
	CE				

# A05 DOI


Mandalaki


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A07/6</b> remote driver dimmable phase cut 501 mA, 30W, SELV 220-240V 50/60Hz L 137.5 x W 44 x H 30  CE	1A070/060000			26,00




## spot for track version 2700K

	<b>A05WB1</b> track dimmable DALI 48Vdc, SELV H 180 Ø 25  CE	1A05WB010001	black		210,00	
		1A05WB010002	white	LED 6W 2700K CRI 90	<input type="checkbox"/>	210,00
		1A05WB010030	brass			210,00


## spot for track version 3000K

	<b>A05OB1</b> track dimmable DALI 48Vdc, SELV H 180 Ø 25  CE	1A05OB010001	black		210,00	
		1A05OB010002	white	LED 6W 3000K CRI 90	<input type="checkbox"/>	210,00
		1A05OB010030	brass			210,00




Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>E04200</b> ceiling direct light H 279 Ø 70	1E0400200001	black		113,00
		1E0400200002	white		113,00
		1E0400200030	brass		113,00
 					


### E04250 (with LED optic)




### E04250 (with RETROFIT optic)




Calculate the price of the lamp adding the body to the optic (see following pages).

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>E04250</b> wall direct and direct/indirect light L 168 x W 134 x H 465  CE      V	1E0400250001	black		205,00
		1E0400250002	white		205,00
		1E0400250030	brass		205,00

### top cover to use with retrofit optics

	<b>E0401</b> top cover  CE      V	1E040/010001	black		23,00
---	--	--------------	-------	--	-------

E04270-E04290



body



1 x LED optic  
or



1 x RETROFIT optic




5-pole ceiling rose kit



complete lamp

E04280



body



2 x LED optic  
or



2 x RETROFIT optic



5-pole ceiling rose kit



complete lamp

E04280



corpo



1 x ottica LED  
o




1 x RETROFIT optic



top cover



5-pole ceiling rose kit





complete lamp


Calculate the price of the lamp adding the body to the optic (see following pages).







# E04 SUSPENSION

Habits Studio





Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>E04270</b> suspension direct light H 279 Ø 70 L cable: 3000  CE      V	1E0400270001	black		190,00
		1E0400270002	white		190,00
		1E0400270030	brass		190,00
	<b>E04280</b> suspension direct and direct/indirect light H 465 Ø 70 L cable: 3000  CE      V	1E0400280001	black		188,00
		1E0400280002	white		188,00
		1E0400280030	brass		188,00







## accessories

	<b>EA1096</b> 5-pole ceiling rose kit ceiling rose: Ø 120 x 30  CE	1EA100096000	white		20,00
	<b>E0402</b> top cover for E04280  CE	1E040/020001	black		36,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>E041M</b> medium beam optic 45° dimmable push/DALI for body Ø 70 220-240V ~ 50/60Hz	1E040/1M0000		COB LED module 12 W 2700K CRI 90 <input type="checkbox"/>	187,00
	<b>E041R</b> retrofit optic dimmable phase cut for body Ø 70 220-240V ~ 50/60Hz	1E040/1R0000		LED retrofit GU10 <input type="checkbox"/>	77,00
	<b>E041W</b> large beam optic 60° dimmable push/DALI for body Ø 70 220-240V ~ 50/60Hz	1E040/1W0000		COB LED module 12 W 2700K CRI 90 <input type="checkbox"/>	187,00
	<b>E042M</b> medium beam optic 45° dimmable push/DALI for body Ø 134 220-240V ~ 50/60Hz	1E040/2M0000		COB LED module 19 W 2700K CRI 90 <input type="checkbox"/>	235,00
	<b>E042W</b> large beam optic 45° dimmable push/DALI for body Ø 134 220-240V ~ 50/60Hz	1E040/2W0000		COB LED module 19 W 2700K CRI 90 <input type="checkbox"/>	235,00
	<b>E042R</b> retrofit optic dimmable phase cut for body Ø 134 220-240V ~ 50/60Hz	1E040/2R0000		LED retrofit GU53 <input type="checkbox"/>	159,00



# E04 optics

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>E043M</b> medium beam optic 30° dimmable push/DALI for body Ø 7 220-240V ~ 50/60Hz  CE 	1E040/3M0000		LED module 13 W dim to warm 3000K --> 1800K CRI 97 <input type="checkbox"/>	197,00
	<b>E043W</b> large beam optic 42° dimmable push/DALI for body Ø 7 220-240V ~ 50/60Hz  CE 	1E040/3W0000		LED module 13 W dim to warm 3000K --> 1800K CRI 97 <input type="checkbox"/>	197,00


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.	
<b>bodies for LED optics</b>						
	<b>E06100</b> ceiling fixture dimmable push/DALI 220-240V ~ 50/60Hz H 400 Ø 70	1E0600100001	black		313,00	
		1E0600100002	white		313,00	
		1E0600100030	brass		313,00	
	CE	⊕	∇			
	<b>E06150</b> electrified EUTRAC fixture dimmable push/DALI 220-240V ~ 50/60Hz H 400 Ø 70	1E0600150001	black		353,00	
		1E0600150002	white		353,00	
		1E0600150030	brass		353,00	
	CE	∇				
<b>LED optics</b>						
	<b>E061M</b> LED optic medium beam 45°	1E060/1M0000		LED module COB 11W 2700K CRI 90	<input type="checkbox"/>	126,00
	CE					
	<b>E061W</b> LED optic large beam 60°	1E060/1W0000		LED module COB 11W 2700K CRI 90	<input type="checkbox"/>	126,00
	CE					
	<b>E062M</b> LED optic medium beam 45°	1E060/2M0000		LED module 11W dim to warm 3000K --> 1800 K CRI 97	<input type="checkbox"/>	144,00
	CE					
	<b>E062W</b> LED optic large beam 60°	1E060/2W0000		LED module 11W dim to warm 3000K --> 1800 K CRI 97	<input type="checkbox"/>	144,00
	CE					

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

bodies for retrofit optics




	<b>E06200</b> ceiling fixture 220-240V ~ 50/60Hz H 400 Ø 70 CE ⊕ V	1E0600200001	black		288,00
		1E0600200002	white		288,00
		1E0600200030	brass		288,00
	<b>E06250</b> electrified EUTRAC fixture 220-240V ~ 50/60Hz H 400 Ø 70 CE ⊕ V	1E0600250001	black		331,00
		1E0600250002	white		331,00
		1E0600250030	brass		331,00


retrofit optic

	<b>E041R</b> retrofit optic dimmable phase cut for body Ø 7 220-240V ~ 50/60Hz CE ⊕	1E040/1R0000		LED retrofit GU10	77,00
--	---	--------------	--	-------------------	-------

# D67P ECRAN IN&OUT

Inga Sempé

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<p><b>D67PLN1</b> wall indoor/outdoor H 145 Ø 185</p> <p>CE   IP65</p>	<p>1D670PN10002</p>	<p>white</p>	<p>LED 8W 3000K CRI 80</p> <p><input type="checkbox"/></p>	<p>240,00</p>



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

## LED optics. 2700K version

	<b>D96/6DW</b> optic + suspension cables dimmmable push/DALI - 220-240V ~ 50/60Hz L cable: 4500 ceiling rose: ø 150 x 50	1D960/6DW001	black	LED module 23W 2700K CRI 90	<input type="checkbox"/>	451,00
		1D960/6DW020	alu			451,00

## LED optics. 3000K version


	<b>D96/6D</b> optic + suspension cables dimmmable push/DALI 220-240V ~ 50/60Hz L cable: 4500 ceiling rose: ø 150 x 50	1D960/6D0001	black	LED module 23W 3000K CRI 90	<input type="checkbox"/>	451,00
		1D960/6D00020	alu			451,00

## sound-absorbing body

	<b>D96C</b> recycled acoustic material and flame retardant H 400 Ø 800	1D960C0000A4	dark grey / white			799,00
		1D960C0000A5	light grey / white			799,00
		1D960C0000B3	rust/black			799,00
		1D960C0000G3	ocher/black			799,00

## finishing ring

	<b>D96A</b> lower finishing ring Ø 800	1D960A000001	black			276,00
		1D960A000020	alu			276,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

### optic (the lamp is supplied without power supply)

	<b>D98TM1</b> floor outdoor 24Vdc L 450 x W 280 x H 20	1D980TM10005	dark grey	LED 22W 3000K CRI 90	<input type="checkbox"/>	382,00
		1D980TM10020	light grey			358,00
CE     IP65 IK5						

### structures

	<b>D98/2</b> floor outdoor L 320 x W 150 x H 300	1D980/020005	dark grey			228,00
		1D980/020020	light grey			228,00
CE						


	<b>D98/3</b> floor outdoor L 320 x W 150 x H 700	1D980/030005	dark grey			302,00
		1D980/030020	light grey			302,00
CE						


### remote drivers (the junction box is recommended watertight IP68)

	<b>D98/5</b> remote driver on/off 24V, 30W, SELV L 153 x W 32 x H 41	1D980/050000	white			51,00
CE						

# D980 FIENILE outdoor





Daniel Rybakken




Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<p><b>D94/1</b> remote driver push/DALI 24V, 45W, SELV 220-240V ~ 50/60Hz SELV L 187 x W 45 x H 30.5</p> <p>CE</p>	<p>1D940/100000</p>			<p>100,00</p>






Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

structure (the lamp is supplied without power supply). 3000K versions




	<b>A04WTF1A</b> floor single structure I: max 300mA V: 8,5Vdc H 750 Ø 50	1A04WTF1A001	mat black	LED 2.5 W 3000K CRI 90	<input type="checkbox"/>	438,00
	<b>A04WTF1B</b> floor single structure I: max 300mA V: 8,5Vdc H 1200 Ø 50	1A04WTF1B001	mat black	LED 2.5 W 3000K CRI 90	<input type="checkbox"/>	454,00
	<b>A04WTF1C</b> floor single structure I: max 300mA V: 8,5Vdc H 1800 Ø 50	1A04WTF1C001	mat black	LED 2.5 W 3000K CRI 90	<input type="checkbox"/>	489,00
	<b>A04WTF2</b> floor multiple structure 2 stems I: max 600mA V: 8,5Vdc L 750 x H 1200 Ø 50	1A04WTF20001	mat black	LED 5 W 3000K CRI 90	<input type="checkbox"/>	713,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A04WTF3</b> floor multiple structure 3 stems I: max 900mA V: 8,5Vdc L 2x 1200 x H 1800 Ø 50	1A04WTF30001	matt black	LED 7.5 W 3000K CRI 90	1.011,00
 					



## track 2700K versions



	<b>A04WB1</b> track dimmable push/DALI 48Vdc SELV L 160 x H 700	1A04WB010001	matt black	LED 3,3W 3000K CRI 90	351,00
 					

## track 3000K versions



	<b>A04B1</b> track dimmable push/DALI 48Vdc SELV L 160 x H 700	1A04B010001	matt black	LED 3,3W 2700K CRI 90	351,00
 					

## accessories


	<b>A04/1</b> base standing L 140 x W 100 x H 50	1A040/010001	matt black		76,00
					

	<b>A04/2</b> picket H 280 Ø 50	1A040/020000	matt black		140,00
					




## remote drivers (the junction box is recommended watertight IP68)




	<b>A04/3</b> driver on/off I: 300/600/900 A, 42W L 146 x W 43.5 x H 22	1A040/030000			23,00
					

# A04 FLIA


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A04/4</b> driver dimmable push/DALI I: 300/600/900 A, 40W L 98 x W 43 x H 22	1A040/040000			50,00
	<b>CE</b>				


## portable/rechargeable lamp (USB charger not included in the package)




	<b>A04TP1B</b> floor portable, rechargeable dimmer on board USB/USB-C cable included 5Vdc USB-C L base 135 x W 100 x H 1200	1A040TP1B001	matt black	LED 4W 3000K CRI 90 <input type="checkbox"/>	509,00
	<b>CE</b>   IP65 IK03				

	<b>A04TP1C</b> floor portable, rechargeable dimmer on board USB/USB-C cable included 5Vdc USB-C L base 135 x W 100 x H 1800	1A040TP1C001	matt black	LED 4W 3000K CRI 90 <input type="checkbox"/>	539,00
	<b>CE</b>   IP65 IK03				


## USB charger for A04TP1B and A04TP1C

	<b>A02/1</b> USB charger input 110/240V -50/60Hz output 5v 2,4A	1A020/010000			36,00
	<b>CE</b>				






Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D33N.100</b> table/wall on/off switch 220-240V ~ 50/60Hz L arms L 440 + 355 head Ø 160 CE □ ▽	1D33N2GI00AA	metal	LED filament E27 max 42W HSGSA E27	233,00
		1D33N2GI0001	black		271,00
		1D33N2GI0002	white		246,00
	<b>D33Nsp.60</b> ceiling/wall on/off switch fixed base included 220-240V ~ 50/60Hz L 360, head Ø 110 CE □ ▽	1D33NSPI00AA	metal	LED E14 max 28W Spot R50 E14	174,00
		1D33NSPI0001	black		194,00
		1D33NSPI0002	white		179,00
	<b>D33Nsp.100</b> ceiling/wall on/off switch fixed base included 220-240V ~ 50/60Hz L 360, head Ø 160 CE □ ▽	1D33NSGI00AA	metal	LED filament E27 max 42W HSGSA E27	181,00
		1D33NSGI0001	black		206,00
		1D33NSGI0002	white		193,00




## accessories

	<b>D33N/01</b> base Ø 236 CE	1D33N/01000A	metal		113,00
		1D33N/010001	black		119,00
		1D33N/010002	white		113,00




# D33 FORTEBRACCIO







Alberto Meda, Paolo Rizzato





Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D33N/03</b> universal joint H 118  CE	1D33N/03000A	metal		46,00
	<b>D33N/04</b> clamp H min 10 - max 65  CE	1D33N/04000A	metal		46,00
	<b>D33N/05</b> fixing pin Ø 125  CE	1D33N/05000A	metal		74,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.	
<b>2700K versions</b>						
	<b>D90NW1</b> wall dimmable phase cut 220-240V ~ 50/60Hz L 200 x W 160 x H 140	1D90NAW10002	white	LED 20W 2700K CRI 90	<input type="checkbox"/>	353,00
CE  						


## 3000K versions


	<b>D90NC1</b> wall dimmable phase cut 220-240V ~ 50/60Hz L 200 x W 160 x H 140	1D90NAC10002	white	LED 20W 3000K CRI 90	<input type="checkbox"/>	353,00
CE  						



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D66/12</b> suspension 220-240V ~ 50/60Hz H 490 Ø 610 L cable: 3000 ceiling rose: Ø 120 x 30	1D6612S00000	methacrylate	LED E27 max 20W	1.157,00
	<b>D66/18</b> suspension 220-240V ~ 50/60Hz H 540 Ø 720 L cable: 3000 ceiling rose: Ø 120 x 30	1D6618S00000	methacrylate	LED E27 max 20W	1.537,00
	<b>D66/42</b> suspension 220-240V ~ 50/60Hz H 660 Ø 1100 L cable: 3000 ceiling rose: Ø 160 x 40	1D6642S00000	methacrylate	3x LED E27 max 20W	4.624,00
	<b>D66/105</b> suspension 220-240V ~ 50/60Hz H 900 Ø 2000 L cable: 3000 ceiling rose: Ø 160 x 40	1D66105S00000	methacrylate	5x LED E27 max 20W	12.832,00
for the floor version calculate the price of the lamp adding the cost of the body (D66/18td) to the polished steel stem (D66/18T.1).					
	<b>D66/18td</b> floor structure foot dimmer 220-240V ~ 50/60Hz H 540 Ø 720	1D6618TD0000	methacrylate	LED E27 max 20W	1.564,00
	<b>D66/18t.1</b> ground rod L 51.7 x H 1640	1D6618T01019	polished		667,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D66/03a</b> wall 220-240V ~ 50/60Hz L 480 x W 285 x H 430	1D6603A00000	methacrylate	LED dimmable R7s L 78mm, ø max: 22mm max 120W R7S HDG L 78 mm	382,00
	<b>D66/08a</b> wall 220-240V ~ 50/60Hz L 610 x W 456 x H 490	1D6608A00000	methacrylate	MAX 20W LED E27	894,00
	<b>D66/12p</b> ceiling 220-240V ~ 50/60Hz H 420 Ø 690	1D6612P00000	methacrylate	3 x 12W LED E14	1.299,00
	<b>D66/30p</b> ceiling 220-240V ~ 50/60Hz H 640 Ø 1090	1D6630P00000	methacrylate	3 x 20W SB LED E27	3.206,00

## accessories

	<b>D66R/KT</b> kit for multiple composition (the price of the composition is determined by adding the price of the individual lamps in the chosen composition to the price of the kit) L cable: 15000	9D6600000000	metal		384,00
---	--	--------------	-------	--	--------

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D82S1</b> suspension dimnable phase cut 220-240V ~ 50/60Hz W 400 Ø 600 L cable: 3000 ceiling rose: Ø 240x60	1D82YS100099	birch	LED 25W 2700K CRI 90	931,00
	<b>D82SID</b> suspension dimnable push/DALI 220-240V ~ 50/60Hz W 400 Ø 600 L cable: 3000 ceiling rose: Ø 240x60	1D82YS1D0099	birch	LED 25W 2700K CRI 90	983,00
	<b>D82S2</b> suspension dimnable phase cut 220-240V ~ 50/60Hz W 500 Ø 800 L cable: 3000 ceiling rose: Ø 240x60	1D82YS200099	birch	LED 32W 2700K CRI 90	1.185,00
	<b>D82S2D</b> suspension dimnable push/DALI 220-240V ~ 50/60Hz W 500 Ø 800 L cable: 3000 ceiling rose: Ø 240x60	1D82YS2D0099	birch	LED 32W 2700K CRI 90	1.243,00
	<b>D82S3</b> suspension dimnable phase cut 220-240V ~ 50/60Hz W 650 Ø 1000 L cable: 3000 ceiling rose: Ø 240x60	1D82YS300099	birch	LED 40W 2700K CRI 90	1.397,00
	<b>D82S3D</b> suspension dimnable push/DALI 220-240V ~ 50/60Hz W 650 Ø 1000 L cable: 3000 ceiling rose: Ø 240x60	1D82YS3D0099	birch	LED 40W 2700K CRI 90	1.456,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D82/1</b> extra cable kit 10m L cable: 10000	1D820/010000	transparent		179,00
	CE 				

## wall structure

	<b>D82A1TW</b> wall structure dimmable phase cut H 300 ø 300	1D82YA1TW099	birch	LED 21W 2700K CRI 90 <input type="checkbox"/>	416,00
	CE  				

	<b>D82A1T</b> wall structure dimmable phase cut H 300 ø 300	1D82YA1T0099	birch	LED 21W 3000K CRI 90 <input type="checkbox"/>	416,00
	CE  				


Example. Please refer to the catalogue or data sheet to check all possible product configurations.




body



arms



2 x arms



complete lamp



body



arms



arms






complete lamp

Calculate the price of the complete lamp by adding the prices of the articles.


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------

structure

	<b>A09/1D</b> suspension dimmable push/DALI 220-240V ~ 50/60Hz H 300 ø 28 L cable: 5000 ceiling rose: Ø155 H 52 CE ⊕ ▽	1A090/01D001	matt black		510,00
		1A090/01D030	satin gold		560,00
	<b>A09/1T</b> suspension dimmable phase cut 220-240V ~ 50/60Hz H 300 ø 28 L cable: 5000 ceiling rose: Ø155 H 52 CE ⊕ ▽	1A090/01T001	matt black		491,00
		1A090/01T030	satin gold		539,00
	<b>A09/2D</b> suspension dimmable push/DALI 220-240V ~ 50/60Hz H 545 ø 28 L cable: 5000 ceiling rose: Ø155 H 52 CE ⊕ ▽	1A090/02D001	matt black		557,00
		1A090/02D030	satin gold		605,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A09/2T</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 545 ø 28 L cable: 5000 ceiling rose: Ø155 H 52	1A090/02T001	matt black		538,00
		1A090/02T030	satin gold		583,00
	<b>A09/3D</b> suspension dimnable push/DALI 220-240V ~ 50/60Hz H 895 ø 28 L cable: 5000 ceiling rose: Ø240 H 50	1A090/03D001	matt black		658,00
		1A090/03D030	satin gold		675,00
	<b>A09/3T</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 895 ø 28 L cable: 5000 ceiling rose: Ø240 H 50	1A090/03T001	matt black		889,00
		1A090/03T030	satin gold		911,00

## wall structure






	<b>A09A1T</b> wall phase cut dimmable 220-240V ~ 50/60Hz H 870 ø 28	1A090A01T001	matt black		366,00
		1A090A01T030	satin gold		366,00

## arms

	<b>A09C12W</b> 2 single arms kit L 240 x W 226	1A090C12W001	matt black	LED 2 x 3W 2700K CRI 90	<input type="checkbox"/>	233,00
		1A090C12W030	satin gold			233,00
	<b>A09C16W</b> 6 single arms kit L 240 x W 226	1A090C16W001	matt black	LED 6 x 3W 2700K CRI 90	<input type="checkbox"/>	627,00
		1A090C16W030	satin gold			627,00


# A09 J-US

Alessandro Zambelli

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A09C22W</b> 2 double arms kit L 456 x W 317  CE	1A090C22W001	matt black	LED 2 x 6W 2700K CRI 90	389,00
		1A090C22W030	satin gold		389,00
	<b>A09C23W</b> 3 double arms kit L 456 x W 317  CE	1A090C23W001	matt black	LED 6 x 6W 2700K CRI 90	580,00
		1A090C23W030	satin gold		580,00
	<b>A09C32W</b> 2 triple arms kit L 673 x W 408  CE	1A090C32W001	matt black	LED 3 x 9W 2700K CRI 90	640,00
		1A090C32W030	satin gold		670,00
	<b>A09C01W</b> single arm small L 147 x W 226  CE	1A090C01W001	matt black	LED 3W 2700K CRI 90	59,00
		1A090C01W030	satin gold		59,00
	<b>A09C11W</b> single arm L 240 x W 226  CE	1A090C11W001	matt black	LED 3W 2700K CRI 90	117,00
		1A090C11W030	satin gold		117,00




body  
Ø 20




complete lamp





body  
Ø 37 e Ø 55




complete lamp




body  
Ø 86 e Ø 110




complete lamp



body  
A07TD









optic  
A07S55WN/A07S55N




complete lamp





A07S20W/A07S20	A07/3D-A07/3T-A07/12-A07/13	15W
A07S37WN/A07S55WN A07S37N/A07S55N	A07/1D-A07/04	21W
A07S37WN/A07S55WN A07S37N/A07S55N	A07/1T-A07/06	22W
A07S55WN/A07S55N	A07TD	19W
A07S86W/A07S86/A07S11WN/A07S11N A07F86WN/A07F86N/A07F11WN/A07F11N	A07/2D-A07/05	30W
A07S86W/A07S86/A07S11WN/A07S11N A07F86WN/A07F86N/A07F11WN/A07F11N	A07/2T-A07/07	31W

Calculate the price of the lamp adding the body to the ceiling rose.



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A07S20W</b> suspension l: max 350mA, V: 33 Vdc, SELV H 70 ø 200 L cable: 5000 ceiling rose: Ø 210x50	1A070S20W001	matt black	LED 12W 2700K CRI 90	443,00
		1A070S20W002	matt white		443,00
		1A070S20W007	matt red		443,00
		1A070S20W010	matt blue		443,00
	<b>A07S37WN</b> suspension l: max 350mA, V: 33 Vdc, SELV H 80 ø 370 L cable: 5000 ceiling rose: Ø 210x50	1A07NS37W001	matt black	LED 19W 2700K CRI 90	524,00
		1A07NS37W002	matt white		524,00
		1A07NS37W007	mat red		524,00
		1A07NS37W010	mat blue		524,00
	<b>A07S55WN</b> suspension l: max 500mA, V: 33 Vdc, SELV H 100 ø 550 L cable: 5000 ceiling rose: Ø 210x50	1A07NS55W001	matt black	LED 19W 2700K CRI 90	624,00
		1A07NS55W002	matt white		624,00
		1A07NS55W007	mat red		624,00
		1A07NS55W010	mat blue		624,00
	<b>A07S86W</b> suspension l: max 750mA, V: 33 Vdc, SELV H 110 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A070S86W001	matt black	LED 26W 2700K CRI 90	1138,00
		1A070S86W002	matt white		1138,00
		1A070S86W007	mat red		1189,00
		1A070S86W010	mat blue		1189,00
	<b>A07S11WN</b> suspension l: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NS11W001	matt black	LED 26W 2700K CRI 90	1407,00
		1A07NS11W002	matt white		1437,00
		1A07NS11W007	mat red		1439,00
		1A07NS11W010	mat blue		1439,00
	<b>A07S20</b> suspension l: max 350mA, V: 33 Vdc, SELV H 70 ø 200 L cable: 5000 ceiling rose: Ø 210x50	1A070S200001	matt black	LED 12W 3000K CRI 90	443,00
		1A070S200002	matt white		443,00
		1A070S200007	matt red		443,00
		1A070S200010	matt blue		443,00

























## 3000K bodies





	<b>A07S20</b> suspension l: max 350mA, V: 33 Vdc, SELV H 70 ø 200 L cable: 5000 ceiling rose: Ø 210x50	1A070S200001	matt black	LED 12W 3000K CRI 90	443,00
		1A070S200002	matt white		443,00
		1A070S200007	matt red		443,00
		1A070S200010	matt blue		443,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A07S37N</b> suspension I: max 350mA, V: 33 Vdc, SELV H 80 ø 370 L cable: 5000 ceiling rose: Ø 210x50	1A07NS370001	matt black	LED 19W 3000K CRI 90	524,00
		1A07NS370002	matt white		524,00
		1A07NS370007	mat red		524,00
		1A07NS370010	mat blue		524,00
	<b>A07S55N</b> suspension I: max 500mA, V: 33 Vdc, SELV H 100 ø 550 L cable: 5000 ceiling rose: Ø 210x50	1A07NS550001	matt black	LED 19W 3000K CRI 90	624,00
		1A07NS550002	matt white		624,00
		1A07NS550007	mat red		624,00
		1A07NS550010	mat blue		624,00
	<b>A07S86</b> suspension I: max 750mA, V: 33 Vdc, SELV H 110 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A07S860001	matt black	LED 26W 3000K CRI 90	1.138,00
		1A07S860002	matt white		1.138,00
		1A07S860007	mat red		1.189,00
		1A07S860010	mat blue		1.189,00
	<b>A07S11N</b> suspension I: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NS110001	matt black	LED 26W 3000K CRI 90	1.412,00
		1A07NS110002	matt white		1.441,00
		1A07NS110007	mat red		1.444,00
		1A07NS110010	mat blue		1.444,00

## sound-absorbing body 2700K





	<b>A07F86WN</b> suspension I: max 750mA, V: 33 Vdc, SELV H 108 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A07NF86W004	medium grey	LED 26W 2700K CRI 90	1.013,00
		1A07NF86W005	anthracite		1.013,00
		1A07NF86W011	green		1.013,00
	<b>A07F11WN</b> suspension I: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NF11W004	medium grey	LED 26W 2700K CRI 90	1.044,00
		1A07NF11W005	anthracite		1.044,00
		1A07NF11W011	green		1.044,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.	
<b>sound-absorbing body 3000K</b>						
	<b>A07F86N</b> suspension I: max 750mA, V: 33 Vdc, SELV H 108 ø 860 L cable: 5000 ceiling rose: Ø 210x50	1A07NF860004	medium grey	LED 26W 3000K CRI 90	1.013,00	
		1A07NF860005	anthracite		<input type="checkbox"/>	1.013,00
		1A07NF860011	green			1.013,00
  						
	<b>A07F11N</b> suspension I: max 750mA, V: 33 Vdc, SELV H 150 ø 1100 L cable: 5000 ceiling rose: Ø 210x50	1A07NF110004	medium grey	LED 26W 3000K CRI 90	1.044,00	
		1A07NF110005	anthracite		<input type="checkbox"/>	1.044,00
		1A07NF110011	green			1.044,00
  						
<b>floor structure</b>						
	<b>A07TD</b> floor structure only for A07S55WN, A07S55N foot dimmer stem Ø 8, L 1900 L cable: 3000	1A07TD00001	matt black		534,00	
  						
<b>2700K wall structure</b>						
	<b>A07A20W</b> wall 220-240V ~ 50/60Hz L 320 x W 200 x H 580 L cable: 2400	1A070A20W001	matt black	LED 12W 2700K CRI 90	610,00	
  						
<b>ceiling rose</b>						
	<b>A07/3D</b> ceiling rose dimmable push/DALI for A07S20W and A07S20 220-240V ~ 50/60Hz H 47 ø 210	1A070/03D001	black		178,00	
  						
	<b>A07/3T</b> ceiling rose dimmable phase cut for A07S20W and A07S20 220-240V ~ 50/60Hz H 47 ø 210	1A070/03T001	black		165,00	
  						


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A071D</b> ceiling rose dimmable push/DALI for A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V ~ 50/60Hz H 47 ø 210	1A070/01D001	matt black		179,00
	<b>A071T</b> ceiling rose dimmable phase cut for A07S37N, A07S37WN, A07S55N, A07S55WN 220-240V ~ 50/60Hz H 47 ø 210	1A070/01T001	matt black		163,00
	<b>A072D</b> ceiling rose dimmable push/DALI for A07S86W/A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V ~ 50/60Hz H 47 ø 210	1A070/02D001	matt black		179,00
	<b>A072T</b> ceiling rose dimmable phase cut for A07S86W/ A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 220-240V ~ 50/60Hz H 47 ø 210	1A070/02T001	matt black		163,00

## remote driver


	<b>A0712</b> remote driver dimmable phase cut for A07S20W and A07S20 350mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22	1A070/120000			69,00
	<b>A0713</b> remote driver dimmable phase cut for A07S20W and A07S20 350mA, 42W, SELV 220-240V ~ 50/60Hz L 125 x W 41 x H 23	1A070/130000			46,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A07/4</b> remote driver dimnable push/DALI for A07S37N, A07S37WN, A07S55N, A07S55WN 500mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22	1A070/040000			53,00
	<b>A07/5</b> remote driver dimnable phase cut for A07S86W/ A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 750mA, 42W, SELV 220-240V ~ 50/60Hz L 98 x W 43 x H 22	1A070/050000			51,00
	<b>A07/6</b> remote driver dimnable phase cut for A07S37N, A07S37WN, A07S55N, A07S55WN 500mA, 30W, SELV 220-240V ~ 50/60Hz L 137.5 x W 44 x H 30	1A070/060000			26,00
	<b>A07/7</b> remote driver dimnable phase cut for A07S86W/ A07S86, A07S11N, A07S11WN, A07F86N, A07F86WN, A07F11N, A07F11WN 700mA, 30W, SELV 220-240V ~ 50/60Hz L 137.5 x W 44 x H 30	1A070/070000			28,00

## track adapter

	<b>A07/11</b> track adapter only for version Ø 20 dimnable DALI 48V dc, SELV L 160 x W 11 x H 70	1A070/110001	black		96,00
		1A070/110002	white		96,00

## off-center ceiling rose


	<b>A07/10</b> off-center for versions Ø20, Ø37, Ø55 L cable: max 5000	1A070/100001	black		37,00
		1A070/100000	white, red, blue		37,00

# A07 KOINÈ multiple ceiling rose


Mandalaki

A 40W: A07/8D + 3 x A07S20/A07S20W

B 27W: A07/9D + 2 x A07S20/A07S20W






Single power input, untill "n" multiple ceiling rose



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------




## multiple ceiling rose

	<b>A07/8D</b> ceiling rose dimmable push/DALI only for A07S20W, A07S20 2 optics 220-240V ~ 50/60Hz L 1160 x W 60 x H 40	1A070/08D001	matt black		275,00
	<b>A07/9D</b> ceiling rose dimmable push/DALI only for A07S20W, A07S20 3 optics 220-240V ~ 50/60Hz L 1160 x W 60 x H 40	1A070/09D001	matt black		220,00







Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

structure


	<b>A06/1D</b> suspension dimnable push/DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/01D002	mat white	LED 25W 2700K CRI 90	<input type="checkbox"/>	710,00
	<b>A06/1T</b> suspension dimnable phase cut 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/01T002	mat white	LED 28W 2700K CRI 90	<input type="checkbox"/>	666,00
	<b>A06/2D</b> suspension dimnable push/DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/02D002	mat white	LED 54W 2700K CRI 90	<input type="checkbox"/>	949,00



# A06 LEVANTE

Marco Spatti





Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A06/2T</b> suspension dimnable phase cut 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: Ø150x60	1A060/O2T002	mat white	LED 54W 2700K CRI 90	<input type="checkbox"/> 922,00
  					









## panels

	<b>A06C1</b> small diffusers for A06/1T, A06/1D and A06TD L 600 x H 440	1A060C100002	mat white		521,00
					







	<b>A06C2</b> big diffusers for A06/2D, A06/2T L 1020 x H 720	1A060C200002	mat white		880,00
					





## floor structure (add A06C1 code for complete lamp)

	<b>A06TD</b> floor structure foot dimmer 220-240V ~ 50/60Hz L 620 x W 620 x H 1800	1A060TD00002	mat white	LED 22W 2700K CRI 90	<input type="checkbox"/> 1.153,00
  					







For all possible lamp arrangements please consult the configurator at [www.luceplan.com](http://www.luceplan.com)



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>optics</b>					
	<b>A12C1W</b> 1 optic L 363 x W 108 x H 265	1A120C01W000	satın white	LED 2,5W 2700K CRI 90	120,00
	<b>A12C3W</b> 3 optics L 363 x W 108 x H 265	1A120C03W000	satın white	LED 3 x 2,5W 2700K CRI 90	302,00
	<b>A12C6W</b> 6 optics L 363 x W 108 x H 265	1A120C06W000	satın white	LED 6 x 2,5W 2700K CRI 90	570,00
<b>floor structure</b>					
	<b>A12/1</b> floor structure 220-240V ~ 50/60Hz H 99 ø 124 L cable: 5000	1A120/010001	black		536,00
<b>ceiling rose</b>					
	<b>A12/22D</b> ceiling rose for 4 cables max 60W 220-240V ~ 50/60Hz H 46 ø 206	1A120/22D001	black		411,00
	<b>A12/23D</b> ceiling rose for 6 cables max 100W 220-240V ~ 50/60Hz H 46 ø 265	1A120/23D001	black		440,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A12/24D</b> ceiling rose for 12 cables max 150W 220-240V ~ 50/60Hz H 46 ø 451	1A120/24D001	black		480,00
	  				



cables + weight


	<b>A12/58</b> Kit 4x 5m cables + counterweight L 125 counterweight ø 32 L cable: 5000	1A120/580001	metal		418,00
					

	<b>A12/59</b> Kit 6x 5m cables + counterweight L 125 counterweight ø 32 L cable: 5000	1A120/590001	metal		608,00
					


	<b>A12/60</b> Kit 4x 10m cables + counterweight L 125 counterweight ø 32 L cable: 10000	1A120/600001	metal		570,00
					

	<b>A12/61</b> Kit 6x 10m cables + counterweight L 125 counterweight ø 32 L cable: 10000	1A120/610001	metal		836,00
					

	<b>A12/62</b> Kit 4x 20m cables + counterweight L 125 counterweight ø 32 L cable: 20000	1A120/620001	metal		848,00
					

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<p><b>A12/63</b>            Kit 6x 20m cables + counterweight            L 125            counterweight ø 32            L cable: 20000</p> <p>CE</p>	<p>1A120/630001</p>	<p>metal</p>		<p>1.253,00</p>


## Lita table or suspension (with only one diffuser)



structure














diffuser







complete lamp









Calculate the price of the lamp adding the structure (for the floor version also the base weight) or the support to the corresponding diffuser for all versions: table, floor, wall and suspension.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D92V14</b> complete version table on/off switch 220-240V ~ 50/60Hz H 130 ø 140	1D920V140000  1D920V140030	white  brass	max 16W LED G9 (max h.70mm)	210,00  222,00
	<b>D92=18</b> table dimmer on board - for D92/2 diffuser 220-240V ~ 50/60Hz L base ø 120 x H 280	1D920=180002	white	LED G9 min 4W, max 16W (max h.70mm)	284,00
	<b>D92V18</b> support base dimmer on board for D92/2 diffuser 220-240V ~ 50/60Hz L base ø 100 x H 160	1D920V180000  1D920V180030	white  brass	LED G9 min 4W, max 16W (max h.70mm)	140,00  171,00
	<b>D92=30</b> table structure dimmer on board for D92/3 diffuser 220-240V ~ 50/60Hz L base ø 200 x H 460	1D920=300002	white	LED E27 70W HSGSA	328,00
	<b>D92V30</b> support base dimmer on cable for D92/3 diffuser 220-240V ~ 50/60Hz L base ø 150 x H 260	1D920V300000  1D920V300030	white  brass	LED E27 70W HSGSA	154,00  178,00

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D92P14</b> complete version wall/ceiling 220-240V ~ 50/60Hz H 120 140	1D920P140000	white	max 16W LED G9 (max h 70mm)	134,00
	<b>D92P18</b> wall/ceiling dimmable for D92/2 diffuser 220-240V ~ 50/60Hz H 150 180	1D920P180000	white	max 16W LED G9 (max h 70mm)	58,00
	<b>D92P30</b> wall/ceiling dimmable for D92/3 diffuser 220-240V ~ 50/60Hz H 260 300	1D920P300000	white	LED E27 70W HSGSA	62,00
	<b>D92S14</b> complete version suspension 220-240V ~ 50/60Hz ø 140 L cable: 3000 ceiling rose: ø 130 x 40	1D920S140002  1D920S140030	white  brass	max 16W LED G9 (max h 70mm)	209,00  255,00
	<b>D92S18</b> suspension structure for D92/2 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40	1D920S180002  1D920S180030	white  brass	max 16W LED G9 (max h 70mm)	164,00  192,00
	<b>D92S30</b> suspension structure for D92/3 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40	1D920S300002  1D920S300030	white  brass	LED E27 70W HSGSA	231,00  282,00



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D92S42</b> suspension structure for D92/4 diffuser 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: ø 130 x 40	1D920S420002	white	LED E27 70W HSGSA	234,00
		1D920S420030	brass		289,00
  					

## diffusers

	<b>D92/1</b> Opal glass diffuser H 112 ø 140	1D920/100002	opale		71,00
					
	<b>D92/2</b> Opal glass diffuser H 150 ø 180	1D920/200002	opale		103,00
					
	<b>D92/3</b> Opal glass diffuser H 250 ø 300	1D920/300002	opale		168,00
					
	<b>D92/4</b> Opal glass diffuser H 360 ø 420	1D920/400002	opale		282,00
					





# D15 LOLA

Alberto Meda, Paolo Rizzatto





Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D15ND</b> floor foot dimmer 220-240V ~ 50/60Hz W base Ø 480, head 180 x H min 1600 - max 2000	1D15=1ND0017	black	LED R7s max 240W HDG R7s (Ømax 22 mm)	556,00
		1D15=1ND0020	alu		556,00
	<b>D15NA1</b> wall 220-240V ~ 50/60Hz L 180 x W 250 x H 250	1D15A1N00017	black	LED R7s max 240W HDG R7s (Ømax 22 mm)	206,00
		1D15A1N00020	alu		206,00

# D85 LUTHIEN


Monica Armani

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>3000K versions</b>					
	<b>D85AC</b> wall dimmable phase cut 220-240V ~ 50/60Hz L 270 x W 100 x H 270	1D850A0C0002	white	LED 21W 3000K CRI 80	314,00
  					

## 2700K versions

	<b>D85A</b> wall dimmable phase cut 220-240V ~ 50/60Hz L 270 x W 100 x H 270	1D850A000002	white	LED 21W 2700K CRI 80	314,00
  					

Malamata floor




structure



base




diffuser



complete lamp


Malamata wall



structure



diffuser



complete lamp


Malamata suspension



structure









diffuser




complete lamp

For all versions calculate the price of the lamp adding the structure to the diffuser.


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>floor version</b>					
	<b>B01T22</b> floor dimmable structure for B01/1 diffuser foot dimmer 220-240V ~ 50/60Hz L 960 x H 1500 L cable: 3300	1B010T220001	black	LED E14 (max ø 40mm)	592,00
		1B010T220030	brushed brass		825,00
	<b>B01/3</b> base H 15 ø 380	1B010/300001	black		207,00
		1B010/300030	brushed brass		337,00
<b>wall version</b>					
	<b>B01A22</b> wall dimmable structure for B01/1 diffuser 220-240V ~ 50/60Hz L 1520 x H 330	1B010A220001	black	LED E14 (max ø 40mm)	776,00
		1B010A220030	brushed brass		1.113,00
<b>suspension version</b>					
	<b>B01S22</b> suspension structure for diffuser diameter 22 cm 220-240V ~ 50/60Hz L 1060 x H 860 L cable: 3000 ceiling rose: ø 133x40	1B010S220001	black	LED E14 (max ø 40mm)	693,00
		1B010S220030	brushed brass		923,00
	<b>B01S48</b> suspension structure for diffuser diameter 48 cm 220-240V ~ 50/60Hz L 1190 x H 1320 L cable: 3000 ceiling rose: ø 133x40	1B010S480001	black	LED E27	812,00
		1B010S480030	brushed brass		1.045,00
<b>opal diffusers</b>					
	<b>B01/1</b> opal diffuser ø 220	1B010/100002	opal		129,00

# B01 MALAMATA

Studio Shulab

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>B01/2</b> opal diffuser ø 480  CE	1B010/200002	opal		295,00


**Mesh wireless**



**Luceplan Mesh+ NEW**













Google Play  
App Store

Don't use characters: " /

APP:  [www.luceplan.com/products/mesh-wireless](http://www.luceplan.com/products/mesh-wireless)


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

complete version phase cut Ø 800


	<p><b>D86KT081</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 600 ø 800 L cable: 1000 ceiling rose: Ø300 x 70</p> <p>CE  </p>	1D86KT081001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	3.193,00
	<p><b>D86KT082</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 600 ø 800 L cable: 2000 ceiling rose: Ø300 x 70</p> <p>CE  </p>	1D86KT082001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	3.310,00
	<p><b>D86KT083</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 600 ø 800 L cable: 3000 ceiling rose: Ø300 x 70</p> <p>CE  </p>	1D86KT083001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	3.310,00
	<p><b>D86KT084</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 600 ø 800 L cable: 4000 ceiling rose: Ø300 x 70</p> <p>CE  </p>	1D86KT084001	black	LED 53W 2700K CRI 90 <input type="checkbox"/>	3.310,00


# D86 MESH


Francisco Gomez Paz


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D86KT085</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 900 ø 800 L cable: 5000 ceiling rose: Ø300 x 70	1D86KT085001	black	LED 53W 2700K CRI 90	<input type="checkbox"/> 3.310,00


## complete version with wireless kit Ø 800







	<b>D86KW081B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 1000 ceiling rose: Ø300 x 70	1D86KW081001B	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.411,00
---	--	---------------	-------	----------------------------	-----------------------------------

	<b>D86KW082B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 2000 ceiling rose: Ø300 x 70	1D86KW082001B	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.582,00
--	--	---------------	-------	----------------------------	-----------------------------------

	<b>D86KW083B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 3000 ceiling rose: Ø300 x 70	1D86KW083001B	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.582,00
---	--	---------------	-------	----------------------------	-----------------------------------





	<b>D86KW084B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 4000 ceiling rose: Ø300 x 70	1D86KW084001B	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.582,00
---	--	---------------	-------	----------------------------	-----------------------------------

	<b>D86KW085B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 600 ø 800 L cable: 5000 ceiling rose: Ø300 x 70	1D86KW085001B	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.582,00
---	--	---------------	-------	----------------------------	-----------------------------------



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>complete version phase cut Ø 1000</b>					
	<b>D86KT101</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D86KT101001	black	LED 61W 2700K CRI 90	4.111,00
	<b>D86KT102</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70	1D86KT102001	black	LED 61W 2700K CRI 90	4.214,00
	<b>D86KT103</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70	1D86KT103001	black	LED 61W 2700K CRI 90	4.214,00
	<b>D86KT104</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70	1D86KT104001	black	LED 61W 2700K CRI 90	4.214,00
	<b>D86KT105</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70	1D86KT105001	black	LED 61W 2700K CRI 90	4.214,00
<b>complete version with wireless kit Ø 1000</b>					
	<b>D86KW101B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D86KW101001B	black	LED 61W 2700K CRI 90	4.252,00





# D86 MESH

Francisco Gomez Paz





Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D86KW102B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70	1D86KW102001B	black	LED 61W 2700K CRI 90	4.424,00
	<b>D86KW103B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70	1D86KW103001B	black	LED 61W 2700K CRI 90	4.424,00
	<b>D86KW104B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70	1D86KW104001B	black	LED 61W 2700K CRI 90	4.424,00
	<b>D86KW105B</b> suspension wireless kit included 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70	1D86KW105001B	black	LED 61W 2700K CRI 90	4.424,00





## complete version





	<b>D86C551</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 550 ø 550 L cable: 1000 ceiling rose: Ø260 x 50	1D860C551001	black	LED 39W 2700K CRI 90	1.781,00
	<b>D86C555</b> suspension dimnable phase cut 220-240V ~ 50/60Hz H 550 ø 550 L cable: 5000 ceiling rose: Ø260 x 50	1D860C555001	black	LED 39W 2700K CRI 90	1.917,00





Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D86PLN</b> ceiling dimnable phase cut 220-240V ~ 50/60Hz H 320 ø 720 ceiling rose: Ø400 x 66	1D860PLN0001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 2.694,00
	  				





## complete version Ø 800 CASAMBI

	<b>D86S081</b> suspension dimnable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 1000 ceiling rose: Ø300 x 70	1D860S081001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.193,00
	  				

	<b>D86S082</b> suspension dimnable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 2000 ceiling rose: Ø300 x 70	1D860S082001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.310,00
	  				







	<b>D86S083</b> suspension dimnable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 3000 ceiling rose: Ø300 x 70	1D860S083001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.310,00
	  				

	<b>D86S084</b> suspension dimnable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 4000 ceiling rose: Ø300 x 70	1D860S084001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.310,00
	  				

	<b>D86S085</b> suspension dimnable CASAMBI 220-240V ~ 50/60Hz H 600 ø 800 L cable: 5000 ceiling rose: Ø300 x 70	1D860S085001	black	LED 50W 2700K CRI 90	<input type="checkbox"/> 3.310,00
	  				

# D86 MESH





Francisco Gomez Paz

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>complete version Ø 1000 CASAMBI</b>					
	<b>D86S101</b> suspension dimable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 1000 ceiling rose: Ø300 x 70	1D860S101001	black	LED 64W 2700K CRI 90	4.111,00
	<b>D86S102</b> suspension dimable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 2000 ceiling rose: Ø300 x 70	1D860S102001	black	LED 64W 2700K CRI 90	4.214,00
	<b>D86S103</b> suspension dimable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 3000 ceiling rose: Ø300 x 70	1D860S103001	black	LED 64W 2700K CRI 90	4.214,00
	<b>D86S104</b> suspension dimable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 4000 ceiling rose: Ø300 x 70	1D860S104001	black	LED 64W 2700K CRI 90	4.214,00
	<b>D86S105</b> suspension dimable CASAMBI 220-240V ~ 50/60Hz H 900 ø 1000 L cable: 5000 ceiling rose: Ø300 x 70	1D860S105001	black	LED 64W 2700K CRI 90	4.214,00
<b>complete version CASAMBI</b>					
	<b>D86S051</b> suspension dimable CASAMBI 220-240V ~ 50/60Hz H 550 ø 550 L cable: 1000 ceiling rose: Ø260 x 50	1D860S051001	black	LED 39W 2700K CRI 90	1.781,00







# D20 METROPOLI


Alberto Meda, Paolo Rizzato

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D2017V1</b> wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 80 ø 170 CE    ⚡    ⚠	1D2017V01019	polished	LED E14 max 28W HSGSA E14	257,00
		1D2017V01020	alu		280,00
		1D2017V01040	satin bronze		414,00
	<b>D2017V7</b> wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 80 ø 170 CE    ⚡    ⚠	1D2017V07019	polished	12W LED 2700K CRI 90    ☐	371,00
		1D2017V07020	alu		394,00
		1D2017V07040	satin bronze		525,00
	<b>D2027V1</b> wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 100 ø 270 CE    ⚡    ⚠	1D2027V01019	polished	LED E27 max 70W HSGSA E27	337,00
		1D2027V01020	alu		328,00
		1D2027V01040	satin bronze		484,00
	<b>D2027V9</b> wall/ceiling glass diffuser 220-240V ~ 50/60Hz H 100 ø 270 CE    ⚡    ⚠	1D2027V09019	polished	17W LED 3000K CRI 90    ☐	432,00
		1D2027V09020	alu		423,00
		1D2027V09040	satin bronze		578,00

# D200 METROPOLI outdoor


Alberto Meda, Paolo Rizzato

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D2017P1</b> wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 80 ø 170	1D2017P01020	alu	LED E14 max 28W HSGSA E14	267,00
	<b>D2017P7</b> wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 80 ø 170	1D2017P07020	alu	12W LED 2700K CRI 90 <input type="checkbox"/>	382,00
	<b>D2027P1</b> wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 100 ø 270	1D2027P01020	alu	LED E27 max 70W HSGSA E27	316,00
	<b>D2027P9</b> wall/ceiling polycarbonate diffuser 220-240V ~ 50/60Hz H 100 ø 270	1D2027P09020	alu	17W LED 3000K CRI 90 <input type="checkbox"/>	410,00










Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

## wall complete structure 2700K

	<b>A11A25W</b> wall dimmable phase cut 220-240V ~ 50/60Hz H 30 ø 250 CE ⊕ ▽	1A110A25W020	polished	LED 22W 2700K CRI 90 <input type="checkbox"/>	244,00
---	---	--------------	----------	---	--------





## wall complete structure 3000K

	<b>A11A25</b> wall dimmable phase cut 220-240V ~ 50/60Hz H 30 ø 250 CE ⊕ ▽	1A110A250020	polished	LED 22W 3000K CRI 90 <input type="checkbox"/>	244,00
---	--	--------------	----------	---	--------





Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>cover plate for wall version</b>					
	<b>A11/6</b> cover plate H 2 ø 250  CE	1A110/060002	white		33,00
		1A110/060009	royal blue		33,00
		1A110/060020	metal		33,00
		1A110/060030	brass		33,00
<b>suspension structure</b>					
	<b>A11/2</b> stem H 230 ø 10  CE	1A110/020030	brass		81,00
		1A110/020009	royal blue		66,00
		1A110/020020	alu		71,00
	<b>A11/3</b> stem H 330 ø 10  CE	1A110/030030	brass		87,00
		1A110/030009	royal blue		71,00
		1A110/030020	alu		75,00
	<b>A11/4</b> stem H 530 ø 10  CE	1A110/040030	brass		107,00
		1A110/040009	royal blue		82,00
		1A110/040020	alu		86,00
	<b>A11/5</b> stem H 730 ø 10  CE	1A110/050030	brass		125,00
		1A110/050009	royal blue		93,00
		1A110/050020	alu		89,00
<b>ceiling rose</b>					
	<b>A11/1D</b> ceiling rose dimmable push/DALI 220-240V ~ 50/60Hz ceiling rose: ø 110x80  CE	1A110/01D030	brass	39W	263,00
		1A110/01D009	royal blue		227,00
		1A110/01D020	alu		231,00





# A11 MILLIMETRO


Daniel Rybakken

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A11/1T</b> ceiling rose dimmable phase cut 220-240V ~ 50/60Hz ceiling rose: ø 110x80	1A110/01T030	brass	37W	220,00
		1A110/01T009	royal blue		185,00
		1A110/01T020	alu		189,00
  					

## optic

	<b>A11S50W</b> disc LED 927 220-240V ~ 50/60Hz ø 500	1A110S50W018	polished	LED 2700K CRI 90	<input type="checkbox"/>	560,00
  						

	<b>A11S85W</b> disc LED 927 220-240V ~ 50/60Hz ø 850	1A110S85W018	polished	LED 2700K CRI 90	<input type="checkbox"/>	743,00
  						



The lamp has an IK03 grade. Calculate the price of the lamp adding the cost of the base to the head to the optic+stem.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

version A (the lamp is supplied without power supply)

	<b>A02TA1</b> outdoor floor base for A version H 340 ø 185	1A020TA10028	concrete grey		196,00
	CE	IK03			

	<b>A02TA2</b> outdoor floor head for A version H 170 ø 185	1A020TA20028	concrete grey		196,00
	CE	IK03			



version B (the lamp is supplied without power supply)

	<b>A02TB1</b> outdoor floor base for B version H 200 ø 185	1A020TB10028	concrete grey		196,00
	CE	IK03			


	<b>A02TB2</b> outdoor floor head for B version H 310 ø 185	1A020TB20028	concrete grey		196,00
	CE	IK03			

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------


version C (the lamp is supplied without power supply)

	<b>A02TC3</b> outdoor floor base for C version H 460 ø 185	1A020TC30028	concrete grey		303,00
	<b>A02TC4</b> outdoor floor head for C version H 70 ø 320	1A020TC40028	concrete grey		248,00


optic


	<b>A02LC1</b> optic + stem for versions A, B, and C	1A020LC10000		LED 14W 3000K CRI 90	196,00
--	--	--------------	--	----------------------------	--------

version D. Complete version with optic + driver (on/off)

	<b>A02TD2</b> outdoor wall/floor on-off 220-240V ~ 50/60Hz SELV H 140 ø 185	1A020TD20028	concrete grey	LED 14W 3000K CRI 90	437,00
---	---	--------------	---------------	----------------------------	--------





power supply can be inserted inside the lamp

	<b>A02/2</b> driver on/off 24V, 14W, SELV 220-240V ~ 50/60Hz L 70 x W 38 x H 24.4	1A020/O20000			51,00
---	---	--------------	--	--	-------



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
remote drivers (the junction box is recommended watertight IP68)					
	<p><b>D94/1</b> remote driver push/DALI 24V, 45W, SELV 220-240V ~ 50/60Hz L 187 x W 45 x H 30.5</p> <p>CE</p>	<p>1D940/100000</p>			<p>100,00</p>


# A02R NUI mini




Meneghello Paoletti

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
table lamp portable/rechargeable (USB charger not included in the package)					
	<b>A02R1</b> table portable / rechargeable indoor/outdoor dimmer on board cable USB/USB-C included 5V H 280 ø 110     IP54	1A020=R10002	white		280,00
		1A020=R10004	sand	LED 4W 2700K CRI 90 <input type="checkbox"/>	280,00
		1A020=R10039	greige		280,00


## USB charger for A02R1


	<b>A02/1</b> USB charger input 110/240V -50/60Hz output 5v 2,4A  	1A020/010000			36,00
---	---	--------------	--	--	-------



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D72N1</b> table dimmer on board 220-240V ~ 50/60Hz L 550 x W 105 x H 470 CE  	1D720=N10001	black soft touch		414,00
		1D720=N10002	white	LED 8W 3000K CRI 80 <input type="checkbox"/>	400,00
		1D720=N10018	Mirror		414,00

## accessories

	<b>D72/1</b> table base L 185 x W 185 x H 240 CE	1D72/1000001	black soft touch		92,00
		1D72/1000002	white		121,00
		1D72/1000018	Mirror		129,00



Calculate the price of the lamp adding the cost of the structure to the corresponding optical system.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

## suspension structure


	<b>D71PV</b> suspension + LED strip L 1360 x W 830 x H 150 ceiling rose: ø 120 X 30	1D710P0V0002	white	LED 17W 3000K (strip module) <input type="checkbox"/>	2.274,00
	<b>D71CV</b> suspension + LED strip H 150 ø 1200 ceiling rose: ø 120 X 30	1D710C0V0002	white	LED 18W 3000K (strip module) <input type="checkbox"/>	2.274,00
	<b>D71PIV</b> suspension + LED strip L 1545 x W 1200 x H 150 ceiling rose: ø 120 X 30	1D710P1V0002	white	LED 21W 3000K (strip module) <input type="checkbox"/>	2.729,00

## optics 3000K versions

	<b>D71/7DL</b> optic LED at direct/indirect light 220-240V ~ 50/60Hz L cable: 3000	1D71/7DL0002		LED 45W + 25W 3000K CRI 90 <input type="checkbox"/>	1.047,00
--	---	--------------	--	---	----------


# D71 PÉTALE

Studio Odile Decq


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D71/7DV</b> optic LED at direct light 220-240V ~ 50/60Hz L cable: 3000	1D71/7DV0002		LED 45W 3000K CRI 90	<input type="checkbox"/>  747,00




## top cover lamp body

	<b>D71/OAP</b> top cover lamp body for D71PV	1D71/OAP0002	white		242,00
---	---	--------------	-------	--	--------



	<b>D71/OAC</b> top cover lamp body for D71CV	1D71/OAC0002	white		242,00
--	---	--------------	-------	--	--------



	<b>D71/OAP1</b> top cover lamp body for D71P1V	1D71/OAP1002	white		257,00
---	---	--------------	-------	--	--------







body



optics






suspension kit, diffuser  
(optional)




complete lamp

Calculate the price of the lamp adding the cost of the structure to the corresponding optical system and to the optional accessories.  
Besides the four catalogue colors, other chromatic ranges have been selected for personalization of the lamps.  
These custom hues are offered with a 10% surcharge.

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D79/90c</b> suspension textile H 450 ø 900  CE      V	1D7909C000A2	light grey 133		2.396,00
		1D7909C000A3	dark grey 152		2.396,00
		1D7909C000B1	sand 242		2.396,00
		1D7909C000B2	rust 252		2.396,00
	<b>D79/120c</b> suspension textile H 450 ø 1170  CE      V	1D7912C000A2	light grey 133		2.604,00
		1D7912C000A3	dark grey 152		2.604,00
		1D7912C000B1	sand 242		2.604,00
		1D7912C000B2	rust 252		2.604,00
	<b>D79/150c</b> suspension textile H 450 ø 1485  CE      V	1D7915C000A2	light grey 133		3.183,00
		1D7915C000A3	dark grey 152		3.183,00
		1D7915C000B1	sand 242		3.183,00
		1D7915C000B2	rust 252		3.183,00

## optics





	<b>D79R/24</b> LED optic dimnable push / DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: ø 160 x 40  CE      ⊕      V	9D7924103200		LED 41W 2700K CRI 90	<input type="checkbox"/>	728,00
--	--	--------------	--	----------------------------	--------------------------	--------

# D79L SILENZIO

Monica Armani



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.	
	<b>D79R/25</b> LED optic dimmable push / DALI 220-240V ~ 50/60Hz L cable: 5000 ceiling rose: ø 160 x 40	9D7925103100		LED 41W 3000K CRI 90	<input type="checkbox"/>	704,00
						

## accessories

	<b>D79R/09</b> suspension kits for installation in parallel ropes (optional)	9D7909612000				31,00
						
	<b>D79R/07</b> lower screen (optional)	9D7907726000	satin ø 90			268,00
		9D7907726100	satin ø 120			411,00
		9D7907726200	satin ø 150			437,00
						


# D89 SOLEIL NOIR

Studio Odile Decq

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D89s</b> suspension dimmable push/DALI 220-240V ~ 50/60Hz L 120 x W 625 x H 353 L cable: 3000 ceiling rose: ø 150x45  CE    ⚡    ⚠	1D89OS000002	white	LED 35W 3000K CRI 80 <input type="checkbox"/>	2.142,00
		1D89OS000035	white/black		2.187,00
	<b>D89P</b> ceiling dimmable push/DALI 220-240V ~ 50/60Hz L 120 x W 625 x H 185  CE    ⚡    ⚠	1D890P000002	white	LED 35W 3000K CRI 80 <input type="checkbox"/>	2.142,00
		1D890P000035	white/black		2.187,00

# D87 STOCHASTIC

Daniel Rybakken



Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

## 3000K versions

	<b>D87CW1</b> suspension dimmable trailing edge 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø180 x 45	1D870CW10000	alu	LED 18W 2700K CRI 90	<input type="checkbox"/>	842,00
--	---	--------------	-----	----------------------------	--------------------------	--------

## 2700K versions

	<b>D87CC1</b> suspension dimmable trailing edge 220-240V ~ 50/60Hz L cable: 3000 ceiling rose: Ø180 x 45	1D870CC10000	alu	LED 18W 3000K CRI 90	<input type="checkbox"/>	842,00
--	---	--------------	-----	----------------------------	--------------------------	--------





## sphere + tie rod kit

	<b>D87048</b> kit 48 spheres + rods 400, Sphere: Ø 87	1D8704800002	opal white			779,00
--	---	--------------	------------	--	--	--------



	<b>D87072</b> kit 72 spheres + rods 500, Sphere: Ø 87	1D8707200002	opal white			1.195,00
--	---	--------------	------------	--	--	----------

# D17 TITANIA

Alberto Meda, Paolo Rizzato




Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D17</b> suspension up and down filter included 220-240V ~ 50/60Hz L 80 x W 270 x H 700 L cable: 3000 ceiling rose: ø 116 x 30    	1D1700000020	alu	LED E27 ø max 38mm l 150 mm 205W HSGST/F E27	494,00


## accessories

	<b>D13/25</b> off-center ceiling rose H 30 ø 120  	9D1325476800	white		51,00
---	--	--------------	-------	--	-------

# D17Q TITANIA QUEEN





Alberto Meda, Paolo Rizzatto

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>D17Q</b> suspension L 540 x W 1400 x H 160 L cable: 5000 ceiling rose: ø140x30	1D170QHAL020	alu	2xLED E27 ø max 38mm l 150 mm, 2x205W HSGS7/F E27	1.164,00
	<b>D17Q/01</b> pair of polycarbonate filter L 218 x W 60 x H 0.75	1D170Q/01023	light blue		66,00
		1D170Q/01024	pink		66,00
		1D170Q/01027	yellow		66,00
	<b>D17Q/02</b> suspension kit with counterweight 100	1D170Q/02020	alu		236,00







Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

### table version


	<b>B0220</b> complete version table on/off switch 220-240V ~ 50/60Hz W base ø 180 x H 420 ø 200	1B020=200001	matt black	max 42W E27	295,00
		1B020=200002	matt white		295,00
		1B020=200013	matt brick red		295,00
		1B020=200039	matt dove grey		295,00
  					

### floor version


	<b>B02T40D</b> floor dimmable structure dimmer on board 220-240V ~ 50/60Hz W base ø 400 x H 1710	1B020T40D001	matt black	max 42W E27	548,00
		1B020T40D002	matt white		548,00
		1B020T40D013	matt brick red		548,00
		1B020T40D039	matt dove grey		548,00
  					


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	-------------------------	-----------	----------	---------------------------	------------------


## shade

	<b>B02/2</b> shade for B02T40D H 275 400  CE	1B020/200001	matt black		205,00
		1B020/200002	matt white		205,00
		1B020/200013	matt brick red		205,00
		1B020/200039	matt dove grey		205,00







## suspension version

	<b>B02S20</b> complete version suspension 220-240V ~ 50/60Hz H ø 200, H 225 L cable: 3000 ceiling rose: ø 130x40  CE	1B020S200001	matt black	max 53W E27	207,00
		1B020S200002	matt white		207,00
		1B020S200013	matt brick red		207,00
		1B020S200039	matt dove grey		207,00







	<b>B02S40</b> complete version suspension 220-240V ~ 50/60Hz H ø 400, H 275 L cable: 3000 ceiling rose: ø 130x40  CE	1B020S400001	matt black	max 53W E27	341,00
		1B020S400002	matt white		341,00
		1B020S400013	matt brick red		341,00
		1B020S400039	matt dove grey		341,00

	<b>B02/1</b> decentralization accessory L cable: 3000  CE	1B020/100001	black		19,00
		1B020/100002	white		19,00
		1B020/100013	matt brick red		19,00
		1B020/100039	matt dove grey		19,00







# A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>built-in</b>					
	<b>A00BP1</b> linear recessed track dimnable DALI L 100 x W 49 x H 15	9A000BP10001	black		101,00
	CE				
	<b>A00BP2</b> linear recessed track dimnable DALI L 200 x W 49 x H 15	9A000BP20001	black		195,00
	CE				
	<b>A00BP3</b> linear recessed track dimnable DALI L 300 x W 49 x H 15	9A000BP30001	black		288,00
	CE				
<b>ceiling/wall</b>					
	<b>A00BS11</b> ceiling/wall linear track dimnable DALI L 1000 x W 19 x H 10	9A000BS11001	black		96,00
		9A000BS11002	white		96,00
	CE				
	<b>A00BS12</b> ceiling/wall linear track dimnable DALI L 2000 x W 19 x H 10	9A000BS12001	black		184,00
		9A000BS12002	white		184,00
	CE				
	<b>A00BS13</b> ceiling/wall linear track dimnable DALI L 3000 x W 19 x H 10	9A000BS13001	black		271,00
		9A000BS13002	white		271,00
	CE				

# A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>ceiling/wall curved track</b>					
	<b>A00BS30</b> ceiling/wall horizontal curved track dimmable DALI W 19 x H 10 R 300	9A000BS30001	black		166,00
		9A000BS30002	white		166,00
CE					
	<b>A00BS50</b> ceiling/wall horizontal curved track dimmable DALI W 19 x H 10 R 500	9A000BS50001	black		195,00
		9A000BS50002	white		195,00
CE					
	<b>A00BS3V</b> ceiling/wall vertical curved track dimmable DALI W 19 x H 10 R 300	9A000BS3V001	black		166,00
		9A000BS3V002	white		166,00
CE					
<b>suspension</b>					
	<b>A00BS21</b> suspension track dimmable DALI L 1000 x W 19 x H 25.8	9A000BS21001	black		103,00
		9A000BS21002	white		103,00
CE					
	<b>A00BS22</b> suspension track dimmable DALI L 2000 x W 19 x H 25.8	9A000BS22001	black		199,00
		9A000BS22002	white		199,00
CE					
	<b>A00BS23</b> suspension track dimmable DALI L 3000 x W 19 x H 25.8	9A000BS23001	black		295,00
		9A000BS23002	white		295,00
CE					


# A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>end caps</b>					
	<b>A00BT1</b> for ceiling/wall track L 8 x W 19 x H 10  CE	9A000BT10001	black		10,00
		9A000BT10002	white		10,00
	<b>A00BT5</b> for recessed track L 3 x W 20 x H 14  CE	9A000BT50001	black		10,00
	<b>A00BT6</b> for suspension track L 8 x W 19 x H 24  CE	9A000BT60001	black		10,00
		9A000BT60002	white		10,00
<b>frontal cap</b>					
	<b>A00BC1</b> front closure for wall/ceiling L 3000 x W 3 x H 12  CE	9A000BC10001	black		30,00
		9A000BC10002	white		30,00
	<b>A00BC5</b> front closure for recessed and pendant track L 3000 x W 3 x H 13  CE	9A000BC50001	black		30,00
		9A000BC50002	white		30,00
<b>locking tool</b>					
	<b>A00BT</b> locking tool for track cut  CE	9A000BT00000	black		213,00


# A00 BINARI / TRACK SYSTEM


Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
-----------	----------------------	-----------	----------	------------------------	---------------

## rope suspension bell


	<b>A00BR</b> bell Ø 12	9A000BR00000	black		26,00
	CE				

## brackets for suspension track


	<b>A00BS1</b> short bracket L 25 x W 5 x H 15	9A000BS10001	black		12,00
	CE	9A000BS10002	white		12,00

	<b>A00BS2</b> long bracket L 50 x W 5 x H 15	9A000BS20001	black		16,00
	CE	9A000BS20002	white		16,00




## screw for rope tensioner

	<b>A00BT3V</b> n 5 pieces L 6 x H 3	9A000BT3V000	black		5,00
CE					






## rope tensioner

	<b>A00BT3</b> gripper H 30 Ø 90	9A000BT30000	steel		12,00
CE					













# A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>steel cable</b>					
	<b>A00BF5</b> steel cable for suspension track L 5000 Ø15  CE	9A000BF50000	alu		20,00
<b>ceiling rose</b>					
	<b>A00BDP</b> on-off ceiling rose for ceiling/wall track 48V 100w SELV L 435 x W 42 x H 32  CE	9A000BDP0001	black		330,00
		9A000BDP0002	white		330,00
	<b>A00BDS</b> on-off ceiling rose for suspension track 48V 100w SELV L 435 x W 42 x H 32  CE	9A000BDS0001	black		330,00
		9A000BDS0002	white		330,00
<b>remote driver</b>					
	<b>A00B10048</b> on-off remote driver 220-240V~50/60 Hz 48V 100w SELV L 298 x W 29.8 x H 16.5  CE	9A000B100480			67,00
<b>end feed</b>					
	<b>A00BTP</b> end feed only for ceiling/wall track L 140 x W 10 x H 19  CE	9A000BTP0001	black		32,00
		9A000BTP0002	white		32,00
	<b>A00BTS</b> concealed end feed for all track L 116 x W 7 x H 11 L cable: 2500  CE	9A000BTS0001	black		53,00
		9A000BTS0002	white		53,00







# A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A00BGP</b> jointing connector for all track L 113 x W 7 x H 11	9A000BGP0001	black		29,00
		9A000BGP0002	white		29,00
	<b>A00BGL</b> Horizontal L joint for ceiling/wall and recessed track L 87 x W 7 x H 87	9A000BGL0001	black		78,00
		9A000BGL0002	white		78,00
	<b>A00BGT</b> Vertical L joint ceiling-wall for ceiling-wall and recessed track L 87 x W 110 x H 87	9A000BGT0001	black		78,00
		9A000BGT0002	white		78,00
	<b>A00BGF</b> adjustable corner for ceiling/wall and recessed track L 238 x W 7 x H 11	9A000BGF0001	black		85,00
		9A000BGF0002	white		85,00
	<b>A00BCGO</b> horizontal corner joint cover for ceiling/wall track L 24 x W 1 x H 24	9A000BCGO001	black		10,00
		9A000BCGO002	white		10,00
	<b>A00BCGV</b> vertical corner joint cover for ceiling/wall track L 22 x W 19 x H 22	9A000BCGV001	black		10,00
		9A000BCGV002	white		10,00


# A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
<b>2700K optics</b>					
	<b>A00WB303</b> 5x led lens 30° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WB303001	black	LED 4,9W 2700K CRI 90	204,00
	CE 			<input type="checkbox"/>	
	<b>A00WBE03</b> 5x led lens 21,6° x 37,6° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WBE03001	black	LED 4,9W 2700K CRI 90	204,00
	CE 			<input type="checkbox"/>	
	<b>A00WBU03</b> 5 x led UGR optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A00WBU03001  9A00WBU03002	black  white	LED 4,9W 2700K CRI 90	220,00  220,00
	CE 			<input type="checkbox"/>	
	<b>A00WB067</b> opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 674 x W 7 x H 11	9A00WB067001	black	LED 7,4W 2700K CRI 90	257,00
	CE 			<input type="checkbox"/>	
	<b>A00WB117</b> opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1174 x W 7 x H 11	9A00WB117001	black	LED 14,5W 2700K CRI 90	427,00
	CE 			<input type="checkbox"/>	
	<b>A00WB167</b> opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1674 x W 7 x H 11	9A00WB167001	black	LED 21,6W 2700K CRI 90	474,00
	CE 			<input type="checkbox"/>	

# A00 BINARI / TRACK SYSTEM

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
	<b>A00B303</b> 5x led lens 30° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000B303001	black	LED 4,9W 3000K CRI 90	197,00
	<b>A00BE03</b> 5x led lens 21,6° x 37,6° optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000BE03001	black	LED 4,9W 3000K CRI 90	197,00
	<b>A00BU03</b> 5 x led UGR optic dimmable DALI 48V dc, SELV L 30 x W 7 x H 11	9A000BU03001	black	LED 4,9W 3000K CRI 90	212,00
		9A000BU03002	white		220,00
	<b>A00B067</b> opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 674 x W 7 x H 11	9A000B067001	black	LED 7,4W 3000K CRI 90	245,00
	<b>A00B117</b> opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1174 x W 7 x H 11	9A000B117001	black	LED 14,5W 3000K CRI 90	392,00
	<b>A00B167</b> opal optic only for A00BS11, A00ES12, A00BBS13, A00BBS21, A00BBS22, A00BBS23 dimmable DALI 48V dc, SELV L 1674 x W 7 x H 11	9A000B167001	black	LED 21,6W 3000K CRI 90	435,00

# A00 ACCESSORI / ACCESSORIES

Structure	Model dimension (mm)	Item code	Finishes	Suggested light source	EUR VAT excl.
Dimmer					
	<b>A00/1</b> universal dimmer phase cut 230V 50/60Hz, 500W L 43 x W 43 x H 18.5	9A000/010000			84,00





# PACKAGING DIMENSIONS AND WEIGHT

---

<https://bit.ly/lp-pricelist-EU-excel>



# GENERAL CONDITION OF SALE

---

<https://bit.ly/LP-sales-cond-ENG>



## Italy

### Headquarters

Via E. T. Moneta, 40  
20161 Milano  
T +39 02 66 242 1  
F +39 02 66 203 400  
N. verde 800 800 169  
info@luceplan.com

### Showroom

Corso Monforte 7  
20122 Milano  
T +39 02 76 015 760  
F +39 02 78 4062  
luceplanstore@luceplan.com

## USA

c/o Spring Place  
Suite 702  
6 St Johns Ln  
Tribeca, New York, 10013  
T +1 (212) 334 1809  
F +1 (212) 334 7307  
infous@luceplan.com

For info, contacts and information about international distributors please visit [www.luceplan.com](http://www.luceplan.com)

1PL000349



[luceplan.com](https://www.luceplan.com)